


KY

Schneidwerkzeuge, economic line
Utensili da taglio, linea economica
Cutting tools, economic line





DAMPFBEHANDELT HSS BOHRER
PUNTE HSS VAPORIZZATE
STEAM OXIDE HSS DRILLS

DIN
338

HSS

WHEEL
CUTTING


N
TYP

118°

BLACK

P1

M3



BESTELL.-NR. ARTICOLO ORDER NR.	ØD h8	L2	L1	PIECES
KY68D0040	0,4	5	20	10
KY68D0050	0,5	6	22	10
KY68D0060	0,6	7	24	10
KY68D0070	0,7	9	28	10
KY68D0075	0,75	9	28	10
KY68D0080	0,8	10	30	10
KY68D0090	0,9	11	32	10
KY68D0100	1	12	34	10
KY68D0110	1,1	14	36	10
KY68D0120	1,2	16	38	10
KY68D0130	1,3	16	38	10
KY68D0140	1,4	18	40	10
KY68D0150	1,5	18	40	10
KY68D0160	1,6	20	43	10
KY68D0170	1,7	20	43	10
KY68D0175	1,75	22	46	10
KY68D0180	1,8	22	46	10
KY68D0190	1,9	22	46	10
KY68D0200	2	24	49	10
KY68D0210	2,1	24	49	10
KY68D0220	2,2	27	53	10
KY68D0225	2,25	27	53	10
KY68D0230	2,3	27	53	10
KY68D0240	2,4	30	57	10
KY68D0250	2,5	30	57	10
KY68D0260	2,6	30	57	10
KY68D0270	2,7	33	61	10
KY68D0275	2,75	33	61	10
KY68D0280	2,8	33	61	10
KY68D0290	2,9	33	61	10
KY68D0300	3	33	61	10
KY68D0310	3,1	36	65	10
KY68D0320	3,2	36	65	10
KY68D0325	3,25	36	65	10
KY68D0330	3,3	36	65	10
KY68D0340	3,4	39	70	10
KY68D0350	3,5	39	70	10
KY68D0360	3,6	39	70	10
KY68D0370	3,7	39	70	10
KY68D0375	3,75	39	70	10
KY68D0380	3,8	43	75	10
KY68D0390	3,9	43	75	10
KY68D0400	4	43	75	10
KY68D0410	4,1	43	75	10
KY68D0420	4,2	43	75	10
KY68D0425	4,25	43	75	10
KY68D0430	4,3	47	80	10
KY68D0440	4,4	47	80	10
KY68D0450	4,5	47	80	10
KY68D0460	4,6	47	80	10
KY68D0470	4,7	47	80	10
KY68D0475	4,75	47	80	10
KY68D0480	4,8	52	86	10
KY68D0490	4,9	52	86	10
KY68D0500	5	52	86	10
KY68D0510	5,1	52	86	10

BESTELL.-NR. ARTICOLO ORDER NR.	ØD h8	L2	L1	PIECES
KY68D0520	5,2	52	86	10
KY68D0525	5,25	52	86	10
KY68D0530	5,3	52	86	10
KY68D0540	5,4	57	93	10
KY68D0550	5,5	57	93	10
KY68D0560	5,6	57	93	10
KY68D0570	5,7	57	93	10
KY68D0575	5,75	57	93	10
KY68D0580	5,8	57	93	10
KY68D0590	5,9	57	93	10
KY68D0600	6	57	93	10
KY68D0610	6,1	63	101	10
KY68D0620	6,2	63	101	10
KY68D0625	6,25	63	101	10
KY68D0630	6,3	63	101	10
KY68D0640	6,4	63	101	10
KY68D0650	6,5	63	101	10
KY68D0660	6,6	63	101	10
KY68D0670	6,7	63	101	10
KY68D0675	6,75	69	109	10
KY68D0680	6,8	69	109	10
KY68D0690	6,9	69	109	10
KY68D0700	7	69	109	10
KY68D0710	7,1	69	109	10
KY68D0720	7,2	69	109	10
KY68D0725	7,25	69	109	10
KY68D0730	7,3	69	109	10
KY68D0740	7,4	69	109	10
KY68D0750	7,5	69	109	10
KY68D0760	7,6	75	117	10
KY68D0770	7,7	75	117	10
KY68D0775	7,75	75	117	10
KY68D0780	7,8	75	117	10
KY68D0790	7,9	75	117	10
KY68D0800	8	75	117	10
KY68D0810	8,1	75	117	10
KY68D0820	8,2	75	117	10
KY68D0825	8,25	75	117	10
KY68D0830	8,3	75	117	10
KY68D0840	8,4	75	117	10
KY68D0850	8,5	75	117	10
KY68D0860	8,6	81	125	10
KY68D0870	8,7	81	125	10
KY68D0875	8,75	81	125	10
KY68D0880	8,8	81	125	10
KY68D0890	8,9	81	125	10
KY68D0900	9	81	125	10
KY68D0910	9,1	81	125	10
KY68D0920	9,2	81	125	10
KY68D0925	9,25	81	125	10
KY68D0930	9,3	81	125	10
KY68D0940	9,4	81	125	10
KY68D0950	9,5	81	125	10
KY68D0960	9,6	87	133	10
KY68D0970	9,7	87	133	10
KY68D0975	9,75	87	133	10

BESTELL.-NR. ARTICOLO ORDER NR.	ØD h8	L2	L1	PIECES
KY68D0980	9,8	87	133	10
KY68D0990	9,9	87	133	10
KY68D1000	10	87	133	10
KY68D1010	10,1	87	133	10
KY68D1020	10,2	87	133	10
KY68D1025	10,25	87	133	10
KY68D1030	10,3	87	133	10
KY68D1040	10,4	87	133	10
KY68D1050	10,5	87	133	10
KY68D1060	10,6	87	133	10
KY68D1070	10,7	94	142	10
KY68D1075	10,75	94	142	10
KY68D1080	10,8	94	142	10
KY68D1090	10,9	94	142	10
KY68D1100	11	94	142	10
KY68D1110	11,1	94	142	10
KY68D1120	11,2	94	142	10
KY68D1125	11,25	94	142	10
KY68D1130	11,3	94	142	10
KY68D1140	11,4	94	142	10
KY68D1150	11,5	94	142	10
KY68D1160	11,6	94	142	10
KY68D1170	11,7	94	142	10
KY68D1175	11,75	94	142	10
KY68D1180	11,8	94	142	10
KY68D1190	11,9	101	151	10
KY68D1200	12	101	151	10
KY68D1210	12,1	101	151	10
KY68D1220	12,2	101	151	10
KY68D1225	12,25	101	151	10
KY68D1230	12,3	101	151	10
KY68D1240	12,4	101	151	10
KY68D1250	12,5	101	151	10
KY68D1260	12,6	101	151	10
KY68D1270	12,7	101	151	10
KY68D1275	12,75	101	151	10
KY68D1280	12,8	101	151	10
KY68D1290	12,9	101	151	10
KY68D1300	13	101	151	10
KY68D1320	13,2	101	151	10
KY68D1350	13,5	108	160	10
KY68D1370	13,7	108	160	10
KY68D1380	13,8	108	160	10
KY68D1400	14	108	160	10
KY68D1450	14,5	114	169	10
KY68D1500	15	114	169	10
KY68D1550	15,5	120	178	10
KY68D1600	16	120	178	10
KY68D1650	16,5	125	184	10
KY68D1700	17	125	184	10
KY68D1750	17,5	130	191	10
KY68D1800	18	130	191	10
KY68D1850	18,5	135	198	10
KY68D1900	19	135	198	10
KY68D1950	19,5	140	205	10
KY68D2000	20	140	205	10

DIN
338

HSS

WHEEL
CUTTING

N
TYP


130°

UDL
TYP

WHITE

P1

M3



BESTELL.-NR. ARTICOLO ORDER NR.	ØD h8	L2	L1	PIECES
KY61D0040	0,4	5	20	10
KY61D0050	0,5	6	22	10
KY61D0060	0,6	7	24	10
KY61D0070	0,7	9	28	10
KY61D0075	0,75	9	28	10
KY61D0080	0,8	10	30	10
KY61D0090	0,9	11	32	10
KY61D0100	1	12	34	10
KY61D0110	1,1	14	36	10
KY61D0120	1,2	16	38	10
KY61D0130	1,3	16	38	10
KY61D0140	1,4	18	40	10
KY61D0150	1,5	18	40	10
KY61D0160	1,6	20	43	10
KY61D0170	1,7	20	43	10
KY61D0175	1,75	22	46	10
KY61D0180	1,8	22	46	10
KY61D0190	1,9	22	46	10
KY61D0200	2	24	49	10
KY61D0210	2,1	24	49	10
KY61D0220	2,2	27	53	10
KY61D0225	2,25	27	53	10
KY61D0230	2,3	27	53	10
KY61D0240	2,4	30	57	10
KY61D0250	2,5	30	57	10
KY61D0260	2,6	30	57	10
KY61D0270	2,7	33	61	10
KY61D0275	2,75	33	61	10
KY61D0280	2,8	33	61	10
KY61D0290	2,9	33	61	10
KY61D0310	3,1	36	65	10
KY61D0320	3,2	36	65	10
KY61D0325	3,25	36	65	10
KY61D0330	3,3	36	65	10
KY61D0340	3,4	39	70	10
KY61D0350	3,5	39	70	10
KY61D0360	3,6	39	70	10
KY61D0370	3,7	39	70	10
KY61D0375	3,75	39	70	10
KY61D0380	3,8	43	75	10
KY61D0390	3,9	43	75	10
KY61D0400	4	43	75	10
KY61D0410	4,1	43	75	10
KY61D0420	4,2	43	75	10
KY61D0425	4,25	43	75	10
KY61D0430	4,3	47	80	10
KY61D0440	4,4	47	80	10
KY61D0450	4,5	47	80	10
KY61D0460	4,6	47	80	10
KY61D0470	4,7	47	80	10
KY61D0475	4,75	47	80	10

BESTELL.-NR. ARTICOLO ORDER NR.	ØD h8	L2	L1	PIECES
KY61D0480	4,8	52	86	10
KY61D0490	4,9	52	86	10
KY61D0500	5	52	86	10
KY61D0510	5,1	52	86	10
KY61D0520	5,2	52	86	10
KY61D0525	5,25	52	86	10
KY61D0530	5,3	52	86	10
KY61D0540	5,4	57	93	10
KY61D0550	5,5	57	93	10
KY61D0560	5,6	57	93	10
KY61D0570	5,7	57	93	10
KY61D0575	5,75	57	93	10
KY61D0580	5,8	57	93	10
KY61D0590	5,9	57	93	10
KY61D0600	6	57	93	10
KY61D0610	6,1	63	101	10
KY61D0620	6,2	63	101	10
KY61D0625	6,25	63	101	10
KY61D0630	6,3	63	101	10
KY61D0640	6,4	63	101	10
KY61D0650	6,5	63	101	10
KY61D0660	6,6	63	101	10
KY61D0670	6,7	63	101	10
KY61D0675	6,75	69	109	10
KY61D0680	6,8	69	109	10
KY61D0690	6,9	69	109	10
KY61D0700	7	69	109	10
KY61D0710	7,1	69	109	10
KY61D0720	7,2	69	109	10
KY61D0725	7,25	69	109	10
KY61D0730	7,3	69	109	10
KY61D0740	7,4	69	109	10
KY61D0750	7,5	69	109	10
KY61D0760	7,6	75	117	10
KY61D0770	7,7	75	117	10
KY61D0775	7,75	75	117	10
KY61D0780	7,8	75	117	10
KY61D0790	7,9	75	117	10
KY61D0800	8	75	117	10
KY61D0810	8,1	75	117	10
KY61D0820	8,2	75	117	10
KY61D0825	8,25	75	117	10
KY61D0830	8,3	75	117	10
KY61D0840	8,4	75	117	10
KY61D0850	8,5	75	117	10
KY61D0860	8,6	81	125	10
KY61D0870	8,7	81	125	10
KY61D0875	8,75	81	125	10
KY61D0880	8,8	81	125	10
KY61D0890	8,9	81	125	10
KY61D0900	9	81	125	10

BESTELL.-NR. ARTICOLO ORDER NR.	ØD h8	L2	L1	PIECES
KY61D0910	9,1	81	125	10
KY61D0920	9,2	81	125	10
KY61D0925	9,25	81	125	10
KY61D0930	9,3	81	125	10
KY61D0940	9,4	81	125	10
KY61D0950	9,5	81	125	10
KY61D0960	9,6	87	133	10
KY61D0970	9,7	87	133	10
KY61D0975	9,75	87	133	10
KY61D0980	9,8	87	133	10
KY61D0990	9,9	87	133	10
KY61D1000	10	87	133	10
KY61D1010	10,1	87	133	10
KY61D1020	10,2	87	133	10
KY61D1025	10,25	87	133	10
KY61D1030	10,3	87	133	10
KY61D1040	10,4	87	133	10
KY61D1050	10,5	87	133	10
KY61D1060	10,6	87	133	5
KY61D1070	10,7	94	142	5
KY61D1075	10,75	94	142	5
KY61D1080	10,8	94	142	5
KY61D1090	10,9	94	142	5
KY61D1100	11	94	142	5
KY61D1110	11,1	94	142	5
KY61D1120	11,2	94	142	5
KY61D1125	11,25	94	142	5
KY61D1130	11,3	94	142	5
KY61D1140	11,4	94	142	5
KY61D1150	11,5	94	142	5
KY61D1160	11,6	94	142	5
KY61D1170	11,7	94	142	5
KY61D1175	11,75	94	142	5
KY61D1180	11,8	94	142	5
KY61D1190	11,9	101	151	5
KY61D1200	12	101	151	5
KY61D1210	12,1	101	151	5
KY61D1220	12,2	101	151	5
KY61D1225	12,25	101	151	5
KY61D1230	12,3	101	151	5
KY61D1240	12,4	101	151	5
KY61D1250	12,5	101	151	5
KY61D1260	12,6	101	151	5
KY61D1270	12,7	101	151	5
KY61D1275	12,75	101	151	5
KY61D1280	12,8	101	151	5
KY61D1290	12,9	101	151	5
KY61D1300	13	101	151	5



HSS BOHRER TiN
PUNTE HSS TiN
HSS DRILL TiN

DIN
338

HSS

WHEEL
CUTTING

N
TYP

130°

TiN

P1



BESTELL.-NR. ARTICOLO ORDER NR.	ØD h8	L2	L1	PIECES
KY62D0040	0,4	5	20	10
KY62D0050	0,5	6	22	10
KY62D0060	0,6	7	24	10
KY62D0070	0,7	9	28	10
KY62D0075	0,75	9	28	10
KY62D0080	0,8	10	30	10
KY62D0090	0,9	11	32	10
KY62D0100	1	12	34	10
KY62D0110	1,1	14	36	10
KY62D0120	1,2	16	38	10
KY62D0130	1,3	16	38	10
KY62D0140	1,4	18	40	10
KY62D0150	1,5	18	40	10
KY62D0160	1,6	20	43	10
KY62D0170	1,7	20	43	10
KY62D0175	1,75	22	46	10
KY62D0180	1,8	22	46	10
KY62D0190	1,9	22	46	10
KY62D0200	2	24	49	10
KY62D0210	2,1	24	49	10
KY62D0220	2,2	27	53	10
KY62D0225	2,25	27	53	10
KY62D0230	2,3	27	53	10
KY62D0240	2,4	30	57	10
KY62D0250	2,5	30	57	10
KY62D0260	2,6	30	57	10
KY62D0270	2,7	33	61	10
KY62D0275	2,75	33	61	10
KY62D0280	2,8	33	61	10
KY62D0290	2,9	33	61	10
KY62D0300	3	33	61	10
KY62D0310	3,1	36	65	10
KY62D0320	3,2	36	65	10
KY62D0325	3,25	36	65	10
KY62D0330	3,3	36	65	10
KY62D0340	3,4	39	70	10
KY62D0350	3,5	39	70	10
KY62D0360	3,6	39	70	10
KY62D0370	3,7	39	70	10
KY62D0375	3,75	39	70	10
KY62D0380	3,8	43	75	10
KY62D0390	3,9	43	75	10
KY62D0400	4	43	75	10
KY62D0410	4,1	43	75	10
KY62D0420	4,2	43	75	10
KY62D0425	4,25	43	75	10
KY62D0430	4,3	47	80	10
KY62D0440	4,4	47	80	10
KY62D0450	4,5	47	80	10
KY62D0460	4,6	47	80	10
KY62D0470	4,7	47	80	10

BESTELL.-NR. ARTICOLO ORDER NR.	ØD h8	L2	L1	PIECES
KY62D0475	4,75	47	80	10
KY62D0480	4,8	52	86	10
KY62D0490	4,9	52	86	10
KY62D0500	5	52	86	10
KY62D0510	5,1	52	86	10
KY62D0520	5,2	52	86	10
KY62D0525	5,25	52	86	10
KY62D0530	5,3	52	86	10
KY62D0540	5,4	57	93	10
KY62D0550	5,5	57	93	10
KY62D0560	5,6	57	93	10
KY64D0570	5,70	57	93	10
KY64D0575	5,75	57	93	10
KY64D0580	5,8	57	93	10
KY64D0590	5,9	57	93	10
KY64D0600	6	57	93	10
KY64D0610	6,1	63	101	10
KY64D0620	6,2	63	101	10
KY64D0625	6,25	63	101	10
KY64D0630	6,3	63	101	10
KY64D0640	6,4	63	101	10
KY64D0650	6,5	63	101	10
KY64D0660	6,6	63	101	10
KY64D0670	6,7	63	101	10
KY64D0675	6,75	69	109	10
KY64D0680	6,8	69	109	10
KY64D0690	6,9	69	109	10
KY64D0700	7	69	109	10
KY64D0710	7,1	69	109	10
KY64D0720	7,2	69	109	10
KY64D0725	7,25	69	109	10
KY64D0730	7,3	69	109	10
KY64D0740	7,4	69	109	10
KY64D0750	7,5	69	109	10
KY64D0760	7,6	75	117	10
KY64D0770	7,7	75	117	10
KY64D0775	7,75	75	117	10
KY64D0780	7,8	75	117	10
KY64D0790	7,9	75	117	10
KY64D0800	8	75	117	10
KY64D0810	8,1	75	117	10
KY64D0820	8,2	75	117	10
KY64D0825	8,25	75	117	10
KY64D0830	8,3	75	117	10
KY64D0840	8,4	75	117	10
KY64D0850	8,5	75	117	10
KY64D0600	8,6	81	125	10
KY64D0700	8,7	81	125	10
KY64D0750	8,75	81	125	10
KY64D0880	8,8	81	125	10
KY64D0890	8,9	81	125	10

BESTELL.-NR. ARTICOLO ORDER NR.	ØD h8	L2	L1	PIECES
KY64D0900	9	81	125	10
KY64D0910	9,1	81	125	10
KY64D0920	9,2	81	125	10
KY64D0950	9,25	81	125	10
KY64D0930	9,3	81	125	10
KY62D0940	9,4	81	125	10
KY62D0950	9,5	81	125	10
KY62D0960	9,6	87	133	10
KY62D0970	9,7	87	133	10
KY62D0975	9,75	87	133	10
KY62D0980	9,8	87	133	10
KY62D0990	9,9	87	133	10
KY62D1000	10	87	133	10
KY62D1010	10,1	87	133	10
KY62D1020	10,2	87	133	10
KY62D1025	10,25	87	133	10
KY62D1030	10,3	87	133	10
KY62D1040	10,4	87	133	10
KY62D1050	10,5	87	133	10
KY62D1060	10,6	87	133	5
KY62D1070	10,7	94	142	5
KY62D1075	10,75	94	142	5
KY62D1080	10,8	94	142	5
KY62D1090	10,9	94	142	5
KY62D1100	11	94	142	5
KY62D1110	11,1	94	142	5
KY62D1120	11,2	94	142	5
KY62D1125	11,25	94	142	5
KY62D1130	11,3	94	142	5
KY62D1140	11,4	94	142	5
KY62D1150	11,5	94	142	5
KY62D1160	11,6	94	142	5
KY62D1170	11,7	94	142	5
KY62D1175	11,75	94	142	5
KY62D1180	11,8	94	142	5
KY62D1190	11,9	101	151	5
KY62D1200	12	101	151	5
KY62D1210	12,1	101	151	5
KY62D1220	12,2	101	151	5
KY62D1225	12,25	101	151	5
KY62D1230	12,3	101	151	5
KY62D1240	12,4	101	151	5
KY62D1250	12,5	101	151	5
KY62D1260	12,6	101	151	5
KY62D1270	12,7	101	151	5
KY62D1275	12,75	101	151	5
KY62D1280	12,8	101	151	5
KY62D1290	12,9	101	151	5
KY62D1300	13	101	151	5

DIN
338

HSSE
5% Co

WHEEL
CUTTING

N
TYP


130°

AMB
RED

M3

S2

H1



BESTELL.-NR. ARTICOLO ORDER NR.	ØD h8	L2	L1	PIECES
KY64D0040	0,4	5	20	10
KY64D0050	0,5	6	22	10
KY64D0060	0,6	7	24	10
KY64D0070	0,7	9	28	10
KY64D0075	0,75	9	28	10
KY64D0080	0,8	10	30	10
KY64D0090	0,9	11	32	10
KY64D0100	1	12	34	10
KY64D0110	1,1	14	36	10
KY64D0120	1,2	16	38	10
KY64D0130	1,3	16	38	10
KY64D0140	1,4	18	40	10
KY64D0150	1,5	18	40	10
KY64D0160	1,6	20	43	10
KY64D0170	1,7	20	43	10
KY64D0175	1,75	22	46	10
KY64D0180	1,8	22	46	10
KY64D0190	1,9	22	46	10
KY64D0200	2	24	49	10
KY64D0210	2,1	24	49	10
KY64D0220	2,2	27	53	10
KY64D0225	2,25	27	53	10
KY64D0230	2,3	27	53	10
KY64D0240	2,4	30	57	10
KY64D0250	2,5	30	57	10
KY64D0260	2,6	30	57	10
KY64D0270	2,7	33	61	10
KY64D0275	2,75	33	61	10
KY64D0280	2,8	33	61	10
KY64D0290	2,9	33	61	10
KY64D0300	3	33	61	10
KY64D0310	3,1	36	65	10
KY64D0320	3,2	36	65	10
KY64D0325	3,25	36	65	10
KY64D0330	3,3	36	65	10
KY64D0340	3,4	39	70	10
KY64D0350	3,5	39	70	10
KY64D0360	3,6	39	70	10
KY64D0370	3,7	39	70	10
KY64D0375	3,75	39	70	10
KY64D0380	3,8	43	75	10
KY64D0390	3,9	43	75	10
KY64D0400	4	43	75	10
KY64D0410	4,1	43	75	10
KY64D0420	4,2	43	75	10
KY64D0425	4,25	43	75	10
KY64D0430	4,3	47	80	10
KY64D0440	4,4	47	80	10
KY64D0450	4,5	47	80	10
KY64D0460	4,6	47	80	10
KY64D0470	4,7	47	80	10

BESTELL.-NR. ARTICOLO ORDER NR.	ØD h8	L2	L1	PIECES
KY64D0475	4,75	47	80	10
KY64D0480	4,8	52	86	10
KY64D0490	4,9	52	86	10
KY64D0500	5	52	86	10
KY64D0510	5,1	52	86	10
KY64D0520	5,2	52	86	10
KY64D0525	5,25	52	86	10
KY64D0530	5,3	52	86	10
KY64D0540	5,4	57	93	10
KY64D0550	5,5	57	93	10
KY64D0560	5,6	57	93	10
KY64D0570	5,7	57	93	10
KY64D0575	5,75	57	93	10
KY64D0580	5,8	57	93	10
KY64D0590	5,9	57	93	10
KY64D0600	6	57	93	10
KY64D0610	6,1	63	101	10
KY64D0620	6,2	63	101	10
KY64D0625	6,25	63	101	10
KY64D0630	6,3	63	101	10
KY64D0640	6,4	63	101	10
KY64D0650	6,5	63	101	10
KY64D0660	6,6	63	101	10
KY64D0670	6,7	63	101	10
KY64D0675	6,75	69	109	10
KY64D0680	6,8	69	109	10
KY64D0690	6,9	69	109	10
KY64D0700	7	69	109	10
KY64D0710	7,1	69	109	10
KY64D0720	7,2	69	109	10
KY64D0725	7,25	69	109	10
KY64D0730	7,3	69	109	10
KY64D0740	7,4	69	109	10
KY64D0750	7,5	69	109	10
KY64D0760	7,6	75	117	10
KY64D0770	7,7	75	117	10
KY64D0775	7,75	75	117	10
KY64D0780	7,8	75	117	10
KY64D0790	7,9	75	117	10
KY64D0800	8	75	117	10
KY64D0810	8,1	75	117	10
KY64D0820	8,2	75	117	10
KY64D0825	8,25	75	117	10
KY64D0830	8,3	75	117	10
KY64D0840	8,4	75	117	10
KY64D0850	8,5	75	117	10
KY64D0860	8,6	81	125	10
KY64D0870	8,7	81	125	10
KY64D0875	8,75	81	125	10
KY64D0880	8,8	81	125	10
KY64D0890	8,9	81	125	10

BESTELL.-NR. ARTICOLO ORDER NR.	ØD h8	L2	L1	PIECES
KY64D0900	9	81	125	10
KY64D0910	9,1	81	125	10
KY64D0920	9,2	81	125	10
KY64D0925	9,25	81	125	10
KY64D0930	9,3	81	125	10
KY64D0940	9,4	81	125	10
KY64D0950	9,5	81	125	10
KY64D0960	9,6	87	133	10
KY64D0970	9,7	87	133	10
KY64D0975	9,75	87	133	10
KY64D0980	9,8	87	133	10
KY64D0990	9,9	87	133	10
KY64D1000	10	87	133	10
KY64D1010	10,1	87	133	10
KY64D1020	10,2	87	133	10
KY64D1025	10,25	87	133	10
KY64D1030	10,3	87	133	10
KY64D1040	10,4	87	133	10
KY64D1050	10,5	87	133	10
KY64D1060	10,6	87	133	5
KY64D1070	10,7	94	142	5
KY64D1075	10,75	94	142	5
KY64D1080	10,8	94	142	5
KY64D1090	10,9	94	142	5
KY64D1100	11	94	142	5
KY64D1110	11,1	94	142	5
KY64D1120	11,2	94	142	5
KY64D1125	11,25	94	142	5
KY64D1130	11,3	94	142	5
KY64D1140	11,4	94	142	5
KY64D1150	11,5	94	142	5
KY64D1160	11,6	94	142	5
KY64D1170	11,7	94	142	5
KY64D1175	11,75	94	142	5
KY64D1180	11,8	94	142	5
KY64D1190	11,9	101	151	5
KY64D1200	12	101	151	5
KY64D1210	12,1	101	151	5
KY64D1220	12,2	101	151	5
KY64D1225	12,25	101	151	5
KY64D1230	12,3	101	151	5
KY64D1240	12,4	101	151	5
KY64D1250	12,5	101	151	5
KY64D1260	12,6	101	151	5
KY64D1270	12,7	101	151	5
KY64D1275	12,75	101	151	5
KY64D1280	12,8	101	151	5
KY64D1290	12,9	101	151	5
KY64D1300	13	101	151	5



HSS BOHRER SERIE EXTRA COURTE
PUNTE HSS SERIE EXTRA CORTE
HSS DRILLS SERIES EXTRA COURTE

DIN
1897

HSS

WHEEL
CUTTING


N
TYP

130°

WHITE

P1

M3



BESTELL.-NR. ARTICOLO ORDER NR.	ØD h8	L2	L1	PIECES
KY57D0100	1	6	26	10
KY57D0110	1,1	7	28	10
KY57D0120	1,2	8	30	10
KY57D0130	1,3	8	30	10
KY57D0140	1,4	9	32	10
KY57D0150	1,5	9	32	10
KY57D0160	1,6	10	34	10
KY57D0170	1,7	10	34	10
KY57D0180	1,8	11	36	10
KY57D0190	1,9	11	36	10
KY57D0200	2	12	38	10
KY57D0210	2,1	12	38	10
KY57D0220	2,2	13	40	10
KY57D0230	2,3	13	40	10
KY57D0240	2,4	14	43	10
KY57D0250	2,5	14	43	10
KY57D0260	2,6	14	43	10
KY57D0270	2,7	16	46	10
KY57D0280	2,8	16	46	10
KY57D0290	2,9	16	46	10
KY57D0300	3	16	46	10
KY57D0310	3,1	18	49	10
KY57D0320	3,2	18	49	10
KY57D0330	3,3	18	49	10
KY57D0340	3,4	20	52	10
KY57D0350	3,5	20	52	10
KY57D0360	3,6	20	52	10
KY57D0370	3,7	20	52	10
KY57D0380	3,8	22	55	10
KY57D0390	3,9	22	55	10
KY57D0400	4	22	55	10
KY57D0410	4,1	22	55	10
KY57D0420	4,2	22	55	10
KY57D0430	4,3	24	58	10
KY57D0440	4,4	24	58	10
KY57D0450	4,5	24	58	10
KY57D0460	4,6	24	58	10
KY57D0470	4,7	24	58	10
KY57D0480	4,8	26	62	10
KY57D0490	4,9	26	62	10
KY57D0500	5	26	62	10

BESTELL.-NR. ARTICOLO ORDER NR.	ØD h8	L2	L1	PIECES
KY57D0510	5,1	26	62	10
KY57D0520	5,2	26	62	10
KY57D0530	5,3	26	62	10
KY57D0540	5,4	28	66	10
KY57D0550	5,5	28	66	10
KY57D0560	5,6	28	66	10
KY57D0570	5,7	28	66	10
KY57D0580	5,8	28	66	10
KY57D0590	5,9	28	66	10
KY57D0600	6	28	66	10
KY57D0610	6,1	31	70	10
KY57D0620	6,2	31	70	10
KY57D0630	6,3	31	70	10
KY57D0640	6,4	31	70	10
KY57D0650	6,5	31	70	10
KY57D0660	6,6	31	70	10
KY57D0670	6,7	31	70	10
KY57D0680	6,8	34	74	10
KY57D0690	6,9	34	74	10
KY57D0700	7	34	74	10
KY57D0710	7,1	34	74	10
KY57D0720	7,2	34	74	10
KY57D0730	7,3	34	74	10
KY57D0740	7,4	34	74	10
KY57D0750	7,5	34	74	10
KY57D0760	7,6	37	79	10
KY57D0770	7,7	37	79	10
KY57D0780	7,8	37	79	10
KY57D0790	7,9	37	79	10
KY57D0800	8	37	79	10
KY57D0810	8,1	37	79	10
KY57D0820	8,2	37	79	10
KY57D0830	8,3	37	79	10
KY57D0840	8,4	37	79	10
KY57D0850	8,5	37	79	10
KY57D0860	8,6	40	84	10
KY57D0870	8,7	40	84	10
KY57D0880	8,8	40	84	10
KY57D0890	8,9	40	84	10
KY57D0900	9	40	84	10
KY57D0910	9,1	40	84	10

BESTELL.-NR. ARTICOLO ORDER NR.	ØD h8	L2	L1	PIECES
KY57D0920	9,2	40	84	10
KY57D0930	9,3	40	84	10
KY57D0940	9,4	40	84	10
KY57D0950	9,5	40	84	10
KY57D0960	9,6	43	89	10
KY57D0970	9,7	43	89	10
KY57D0980	9,8	43	89	10
KY57D0990	9,9	43	89	10
KY57D1000	10	43	89	10
KY57D1010	10,1	43	89	10
KY57D1020	10,2	43	89	10
KY57D1030	10,3	43	89	10
KY57D1040	10,4	43	89	10
KY57D1050	10,5	43	89	10
KY57D1060	10,6	43	89	5
KY57D1070	10,7	47	95	5
KY57D1080	10,8	47	95	5
KY57D1090	10,9	47	95	5
KY57D1100	11	47	95	5
KY57D1110	11,1	47	95	5
KY57D1120	11,2	47	95	5
KY57D1130	11,3	47	95	5
KY57D1140	11,4	47	95	5
KY57D1150	11,5	47	95	5
KY57D1160	11,6	47	95	5
KY57D1170	11,7	47	95	5
KY57D1180	11,8	47	95	5
KY57D1190	11,9	51	102	5
KY57D1200	12	51	102	5
KY57D1210	12,1	51	102	5
KY57D1220	12,2	51	102	5
KY57D1230	12,3	51	102	5
KY57D1240	12,4	51	102	5
KY57D1250	12,5	51	102	5
KY57D1260	12,6	51	102	5
KY57D1270	12,7	51	102	5
KY57D1280	12,8	51	102	5
KY57D1290	12,9	51	102	5
KY57D1300	13	51	102	5

DIN
340

HSS

WHEEL
CUTTING

N
TYP


130°

WHITE

P1

M3

K5



BESTELL.-NR. ARTICOLO ORDER NR.	ØD h8	L2	L1	PIECES
KY58D0100	1	33	56	10
KY58D0110	1,1	37	60	10
KY58D0120	1,2	41	65	10
KY58D0130	1,3	41	65	10
KY58D0140	1,4	45	70	10
KY58D0150	1,5	45	70	10
KY58D0150	1,6	50	76	10
KY58D0160	1,7	50	76	10
KY58D0180	1,8	53	80	10
KY58D0190	1,9	53	80	10
KY58D0200	2	56	85	10
KY58D0210	2,1	56	85	10
KY58D0220	2,2	59	90	10
KY58D0230	2,3	59	90	10
KY58D0240	2,4	62	95	10
KY58D0250	2,5	62	95	10
KY58D0260	2,6	62	95	10
KY58D0270	2,7	66	100	10
KY58D2080	2,8	66	100	10
KY58D0290	2,9	66	100	10
KY58D0300	3	66	100	10
KY58D0310	3,1	69	106	10
KY58D0320	3,2	69	106	10
KY58D0330	3,3	69	106	10
KY58D0340	3,4	73	112	10
KY58D0350	3,5	73	112	10
KY58D0360	3,6	73	112	10
KY58D0370	3,7	73	112	10
KY58D0380	3,8	78	119	10
KY58D0390	3,9	78	119	10
KY58D0400	4	78	119	10
KY58D0410	4,1	78	119	10
KY58D0420	4,2	78	119	10
KY58D0430	4,3	82	126	10
KY58D0440	4,4	82	126	10
KY58D0450	4,5	82	126	10
KY58D0460	4,6	82	126	10
KY58D0470	4,7	82	126	10
KY58D0480	4,8	87	132	10
KY58D0490	4,9	87	132	10
KY58D0500	5	87	132	10

BESTELL.-NR. ARTICOLO ORDER NR.	ØD h8	L2	L1	PIECES
KY58D0510	5,1	87	132	10
KY58D0520	5,2	87	132	10
KY58D0530	5,3	87	132	10
KY58D0540	5,4	91	139	10
KY58D0550	5,5	91	139	10
KY58D0560	5,6	91	139	10
KY58D0570	5,7	91	139	10
KY58D0580	5,8	91	139	10
KY58D0590	5,9	91	139	10
KY58D0600	6	91	139	10
KY58D0610	6,1	97	148	10
KY58D0620	6,2	97	148	10
KY58D0630	6,3	97	148	10
KY58D0640	6,4	97	148	10
KY58D0650	6,5	97	148	10
KY58D0660	6,6	97	148	10
KY58D0670	6,7	97	148	10
KY58D0680	6,8	102	156	10
KY58D0690	6,9	102	156	10
KY58D0700	7	102	156	10
KY58D0710	7,1	102	156	10
KY58D0720	7,2	102	156	10
KY58D0730	7,3	102	156	10
KY58D0740	7,4	102	156	10
KY58D0750	7,5	102	156	10
KY58D0760	7,6	109	165	10
KY58D0770	7,7	109	165	10
KY58D0780	7,8	109	165	10
KY58D0790	7,9	109	165	10
KY58D0800	8	109	165	10
KY58D0810	8,1	109	165	10
KY58D0820	8,2	109	165	10
KY58D0830	8,3	109	165	10
KY58D0840	8,4	109	165	10
KY58D0850	8,5	109	165	10
KY58D0860	8,6	115	175	10
KY58D0870	8,7	115	175	10
KY58D0880	8,8	115	175	10
KY58D0890	8,9	115	175	10
KY58D0900	9	115	175	10
KY58D0910	9,1	115	175	10

BESTELL.-NR. ARTICOLO ORDER NR.	ØD h8	L2	L1	PIECES
KY58D0920	9,2	115	175	10
KY58D0930	9,3	115	175	10
KY58D0940	9,4	115	175	10
KY58D0950	9,5	115	175	10
KY58D0960	9,6	121	184	10
KY58D0970	9,7	121	184	10
KY58D0980	9,8	121	184	10
KY58D0990	9,9	121	184	10
KY58D1000	10	121	184	10
KY58D1010	10,1	121	184	10
KY58D1020	10,2	121	184	10
KY58D1030	10,3	121	184	10
KY58D1040	10,4	121	184	10
KY58D1050	10,5	121	184	10
KY58D1060	10,6	121	184	5
KY58D1070	10,7	128	195	5
KY58D1080	10,8	128	195	5
KY58D1090	10,9	128	195	5
KY58D1100	11	128	195	5
KY58D1110	11,1	128	195	5
KY58D1120	11,2	128	195	5
KY58D1130	11,3	128	195	5
KY58D1140	11,4	128	195	5
KY58D1150	11,5	128	195	5
KY58D1160	11,6	128	195	5
KY58D1170	11,7	128	195	5
KY58D1180	11,8	128	195	5
KY58D1190	11,9	134	205	5
KY58D1200	12	134	205	5
KY58D1210	12,1	134	205	5
KY58D1220	12,2	134	205	5
KY58D1230	12,3	134	205	5
KY58D1240	12,4	134	205	5
KY58D1250	12,5	134	205	5
KY58D1260	12,6	134	205	5
KY58D1270	12,7	134	205	5
KY58D1280	12,8	134	205	5
KY58D1290	12,9	134	205	5
KY58D1300	13	134	205	5



DAMPFBEHANDELT HSS BOHRER MORSEKEGEL
PUNTE HSS VAPORIZZATE CONO MORSE
STEAM OXIDE HSS DRILLS MORSE TAPER

DIN
345

HSS

WHEEL
CUTTING


N
TYP

118°

BLACK

P1

M3



BESTELL.-NR. ARTICOLO ORDER NR.	ØD h8	L2	L1	PIECES
KY67D0600	6	57	138	1
KY67D0650	6,5	63	144	1
KY67D0680	6,8	69	150	1
KY67D0700	7	69	150	1
KY67D0750	7,5	69	150	1
KY67D0800	8	75	156	1
KY67D0850	8,5	75	156	1
KY67D0875	8,75	75	156	1
KY67D0900	9	81	162	1
KY67D0950	9,5	81	162	1
KY67D1000	10	87	168	1
KY67D1025	10,25	87	168	1
KY67D1050	10,5	87	168	1
KY67D1075	10,75	94	175	1
KY67D1100	11	94	175	1
KY67D1125	11,25	94	175	1
KY67D1150	11,5	94	175	1
KY67D1175	11,75	94	175	1
KY67D1200	12	101	182	1
KY67D1225	12,25	101	182	1
KY67D1250	12,5	101	182	1
KY67D1275	12,75	101	182	1
KY67D1300	13	101	182	1
KY67D1325	13,25	108	189	1
KY67D1350	13,5	108	189	1
KY67D1375	13,75	108	189	1
KY67D1400	14	108	189	1
KY67D1425	14,25	114	212	2
KY67D1450	14,5	114	212	2
KY67D1475	14,75	114	212	2
KY67D1500	15	114	212	2
KY67D1525	15,25	120	218	2
KY67D1550	15,5	120	218	2
KY67D1575	15,75	120	218	2
KY67D1600	16	120	218	2
KY67D1625	16,25	125	223	2
KY67D1650	16,5	125	223	2
KY67D1675	16,75	125	223	2
KY67D1700	17	125	223	2
KY67D1725	17,25	130	228	2
KY67D1750	17,5	130	228	2
KY67D1775	17,75	130	228	2
KY67D1800	18	130	228	2
KY67D1825	18,25	135	233	2
KY67D1850	18,5	135	233	2
KY67D1875	18,75	135	233	2
KY67D1900	19	135	233	2
KY67D1925	19,25	140	238	2
KY67D1950	19,5	140	238	2

BESTELL.-NR. ARTICOLO ORDER NR.	ØD h8	L2	L1	PIECES
KY67D1975	19,75	140	238	2
KY67D2000	20	140	238	2
KY67D2025	20,25	145	243	2
KY67D2050	20,5	145	243	2
KY67D2075	20,75	145	243	2
KY67D2100	21	145	243	2
KY67D2125	21,25	150	248	2
KY67D2150	21,5	150	248	2
KY67D2175	21,75	150	248	2
KY67D2200	22	150	248	2
KY67D2225	22,25	150	248	2
KY67D2250	22,5	155	253	2
KY67D2275	22,75	155	253	2
KY67D2300	23	155	253	2
KY67D2325	23,25	155	276	3
KY67D2350	23,5	155	276	3
KY67D2375	23,75	160	281	3
KY67D2400	24	160	281	3
KY67D2425	24,25	160	281	3
KY67D2450	24,5	160	281	3
KY67D2475	24,75	160	281	3
KY67D2500	25	160	281	3
KY67D2525	25,25	165	286	3
KY67D2550	25,5	165	286	3
KY67D2575	25,75	165	286	3
KY67D2600	26	165	286	3
KY67D2625	26,25	165	286	3
KY67D2650	26,5	165	286	3
KY67D2675	26,75	170	291	3
KY67D2700	27	170	291	3
KY67D2725	27,25	170	291	3
KY67D2750	27,5	170	291	3
KY67D2775	27,75	170	291	3
KY67D2800	28	170	291	3
KY67D2825	28,25	175	296	3
KY67D2850	28,5	175	296	3
KY67D2875	28,75	175	296	3
KY67D2900	29	175	296	3
KY67D2925	29,25	175	296	3
KY67D2950	29,5	175	296	3
KY67D2975	29,75	175	296	3
KY67D3000	30	175	296	3
KY67D3050	30,5	180	301	3
KY67D3075	30,75	180	301	3
KY67D3100	31	180	310	3
KY67D3150	31,5	180	301	3
KY67D3200	32	185	334	4
KY67D3250	32,5	185	334	4
KY67D3300	33	185	334	4

BESTELL.-NR. ARTICOLO ORDER NR.	ØD h8	L2	L1	PIECES
KY67D3350	33,5	185	334	4
KY67D3400	34	190	339	4
KY67D3450	34,5	190	339	4
KY67D3500	35	190	339	4
KY67D3550	35,5	190	339	4
KY67D3600	36	195	344	4
KY67D3650	36,5	195	344	4
KY67D3700	37	195	344	4
KY67D3750	37,5	195	344	4
KY67D3800	38	200	349	4
KY67D3850	38,5	200	349	4
KY67D3900	39	200	349	4
KY67D3950	39,5	200	349	4
KY67D4000	40	200	349	4
KY67D4050	40,5	205	354	4
KY67D4100	41	205	354	4
KY67D4150	41,5	205	354	4
KY67D4200	42	205	354	4
KY67D4250	42,5	205	354	4
KY67D4300	43	210	359	4
KY67D4350	43,5	210	359	4
KY67D4400	44	210	359	4
KY67D4450	44,5	210	359	4
KY67D4500	45	210	359	4
KY67D4550	45,5	215	364	4
KY67D4600	46	215	364	4
KY67D4650	46,5	215	364	4
KY67D4700	47	215	364	4
KY67D4750	47,5	215	364	4
KY67D4800	48	220	369	4
KY67D4850	48,5	220	369	4
KY67D4900	49	220	369	4
KY67D4950	49,5	220	369	4
KY67D5000	50	220	369	4
KY67D5050	50,5	225	412	5
KY67D5100	51	225	412	5
KY67D5200	52	225	412	5
KY67D5300	53	225	412	5
KY67D5400	54	230	417	5
KY67D5500	55	230	417	5
KY67D6000	56	230	417	5
KY67D5700	57	235	422	5
KY67D5800	58	235	422	5
KY67D5900	59	235	422	5
KY67D6000	60	235	422	5
KY67D6500	65	245	432	5
KY67D7000	70	250	437	5



DAMPFBEHANDELT HSS DOPPELSPITZIGER BOHRER
PUNTE HSS VAPORIZZATE DOPPIE
STEAM OXIDE HSS DOUBLE-POINTED DRILLS

DIN
1897

HSS

WHEEL
CUTTING

N
TYP



BLACK

P1

M3



BESTELL.-NR. ARTICOLO ORDER NR.	ØD	L2	L1	PIECES
	h8			
KY63D0300	3	11	46	10
KY63D0320	3,2	11	49	10
KY63D0350	3,5	13	52	10
KY63D0400	4	14	55	10

BESTELL.-NR. ARTICOLO ORDER NR.	ØD	L2	L1	PIECES
	h8			
KY63D0420	4,2	14	55	10
KY63D0450	4,5	16	58	10
KY63D0500	5	17	62	10
KY63D0550	5,5	19	66	10

BESTELL.-NR. ARTICOLO ORDER NR.	ØD	L2	L1	PIECES
	h8			
KY63D0600	6	19	66	10
KY63D0650	6,5	21	70	10
KY63D0680	6,8	24	74	10
KY63D0800	8	25	79	10



HSS ZENTRIERBOHRER
HSS PUNTE DA CENTRI
HSS CENTER DRILL


DIN
333A

HSS

WHEEL
CUTTING

BLACK

P1




BESTELL.-NR. ARTICOLO ORDER NR.	ØD	L2	L1	PIECES
	h8			
KY55D041	4,0x1,0	1,3~1,7	33,5~37,5	1
KY55D051.5	5,0x1,5	2,0~2,8	38~42	1
KY55D062	6,0x2,0	2,5~3,3	43~47	1
KY55D082.5	8,0x2,5	3,1~4,1	48~52	1

BESTELL.-NR. ARTICOLO ORDER NR.	ØD	L2	L1	PIECES
	h8			
KY55D083	8,0x3,0	3,9~4,9	48~52	1
KY55D103	10,0x3,0	3,9~4,9	54~59	1
KY55D104	10,0x4,0	5,0~6,2	54~59	1
KY55D124	12,0x4,0	5,0~6,2	63~64,2	1

BESTELL.-NR. ARTICOLO ORDER NR.	ØD	L2	L1	PIECES
	h8			
KY55D145	14,0x5,0	6,3~7,5	68~74	1
KY55D186	18,0x6,0	8,0~9,2	77~83	1
KY55D206.3	20,0x6,3	8,0~9,2	77~83	1
KY55D258	25,0x8,0	10,1~11,5	97~103	1




WISCHENHÜLSE FÜR MORSE KEGEL
BUSSOLE DI RIDUZIONE CONO MORSE
REDUCING ADAPTORS MORSE TAPER



BESTELL.-NR. ARTICOLO ORDER NR.	K	K1	PIECES
	MORSE	MORSE	
KY8512	CM1	CM2	1
KY8513	CM1	CM3	1
KY8523	CM2	CM3	1
KY8524	CM2	CM4	1
KY8534	CM3	CM4	1
KY8545	CM4	CM5	1




WISCHENHÜLSE FÜR MORSE KEGEL
BUSSOLE DI RIDUZIONE CONO MORSE
REDUCING ADAPTORS MORSE TAPER




BESTELL.-NR. ARTICOLO ORDER NR.	K	K1	PIECES
	MORSE	MORSE	
KY86CM112	CM1	B12	1
KY86CM212	CM2	B12	1
KY86CM216	CM2	B16	1
KY86CM312	CM3	B12	1
KY86CM316	CM3	B16	1

100M



101M




108M




109M




103M



104M




110M




111M





123M



124M



BESTELL-NR. ARTICOLO ORDER NR.	BESCHREIBUNG - DESIGNAZIONE - DESIGNATION	COMPOSITION	PIECES
KY100M	HSS – VAPORIZZATE – DIN 338	1,0-13,0 / 0,5	25
KY101M	HSS – VAPORIZZATE – DIN 338	1,0-10,0 / 0,5	19
KY103M	HSS – TiN – DIN 338	1,0-13,0 / 0,5	25
KY104M	HSS – TiN – DIN 338	1,0-10,0 / 0,5	19
KY108M	HSS – LAMINATA – DIN 338	1,0-13,0 / 0,5	25
KY109M	HSS – GEWALZT – LAMINATA - ROLLED – DIN 338	1,0-10,0 / 0,5	19
KY110M	HSSE-5%Co – AMB RED – SP DIN 338	1,0-13,0 / 0,5	25
KY111M	HSSE-5%Co – AMB RED – SP DIN 338	1,0-10,0 / 0,5	19
KY123M	HSSE-5%Co – UDL SP DIN 338	1,0-13,0 / 0,5	25
KY124M	HSSE-5%Co – UDL SP DIN 338	1,0-10,0 / 0,5	19

100P**101P****138P****103P****104P****132P****110P****111P****123P****134P****124P**

BESTELL.-NR. ARTICOLO ORDER NR.	BESCHREIBUNG - DESIGNAZIONE - DESIGNATION	COMPOSITION	PIECES
KY100P	HSS – VAPORIZZATE – DIN 338	1,0-13,0 / 0,5	25
KY101P	HSS – VAPORIZZATE – DIN 338	1,0-10,0 / 0,5	19
KY103P	HSS – TiN – DIN 338	1,0-13,0 / 0,5	25
KY104P	HSS – TiN – DIN 338	1,0-10,0 / 0,5	19
KY110P	HSSE-5%Co – AMB RED – SP DIN 338	1,0-13,0 / 0,5	25
KY111P	HSSE-5%Co – AMB RED – SP DIN 338	1,0-10,0 / 0,5	19
KY123P	HSSE-5%Co – UDL SP DIN 338	1,0-13,0 / 0,5	25
KY124P	HSSE-5%Co – UDL SP DIN 338	1,0-10,0 / 0,5	19
KY138P	HSS – VAPORIZZATE – DIN 338	1,5-6,5 / 0,5 +3,2+4,8	13
KY132P	HSS – TiN – DIN 338	1,5-6,5 / 0,5 +3,2+4,8	13
KY134P	HSSE-5%Co – AMB RED – SP DIN 338	1,5-6,5 / 0,5 +3,2+4,8	13



HARTMETALL-BOHRER TiAlN - 5xD - DIN 338
PUNTE IN METALLO DURO TiAlN- 5xD - DIN 338
CARBIDE DRILL TiAlN - 5xD - DIN 338

DIN
338

MD
CARBIDE

WHEEL
CUTTING

140°

30°
HELIX

TiAlN

P1

M3

K5

S2

S4



BESTELL.-NR. ARTICOLO ORDER NR.	Ø D m7	Ø d h6	L2	L1	Pcs.
KYMCDS001D3	3	3	33	61	1
KYMCDS001D3.1	3,1	3,1	36	65	1
KYMCDS001D3.2	3,2	3,2	36	65	1
KYMCDS001D3.3	3,3	3,3	36	65	1
KYMCDS001D3.4	3,4	3,4	39	70	1
KYMCDS001D3.5	3,5	3,5	39	70	1
KYMCDS001D3.6	3,6	3,6	39	70	1
KYMCDS001D3.7	3,7	3,7	39	70	1
KYMCDS001D3.8	3,8	3,8	43	75	1
KYMCDS001D3.9	3,9	3,9	43	75	1
KYMCDS001D4	4	4	43	75	1
KYMCDS001D4.1	4,1	4,1	43	75	1
KYMCDS001D4.2	4,2	4,2	43	75	1
KYMCDS001D4.3	4,3	4,3	47	80	1
KYMCDS001D4.4	4,4	4,4	47	80	1
KYMCDS001D4.5	4,5	4,5	47	80	1
KYMCDS001D4.6	4,6	4,6	47	80	1
KYMCDS001D4.7	4,7	4,7	47	80	1
KYMCDS001D4.8	4,8	4,8	52	86	1
KYMCDS001D4.9	4,9	4,9	52	86	1
KYMCDS001D5	5	5	52	86	1
KYMCDS001D5.1	5,1	5,1	52	86	1
KYMCDS001D5.2	5,2	5,2	52	86	1
KYMCDS001D5.3	5,3	5,3	52	86	1
KYMCDS001D5.4	5,4	5,4	57	93	1
KYMCDS001D5.5	5,5	5,5	57	93	1
KYMCDS001D5.6	5,6	5,6	57	93	1
KYMCDS001D5.7	5,7	5,7	57	93	1
KYMCDS001D5.8	5,8	5,8	57	93	1
KYMCDS001D5.9	5,9	5,9	57	93	1
KYMCDS001D6	6	6	57	93	1
KYMCDS001D6.1	6,1	6,1	63	101	1
KYMCDS001D6.2	6,2	6,2	63	101	1
KYMCDS001D6.3	6,3	6,3	63	101	1
KYMCDS001D6.4	6,4	6,4	63	101	1
KYMCDS001D6.5	6,5	6,5	63	101	1
KYMCDS001D6.6	6,6	6,6	63	101	1
KYMCDS001D6.7	6,7	6,7	63	101	1
KYMCDS001D6.8	6,8	6,8	69	109	1

BESTELL.-NR. ARTICOLO ORDER NR.	Ø D m7	Ø d h6	L2	L1	Pcs.
KYMCDS001D6.9	6,9	6,9	69	109	1
KYMCDS001D7	7	7	69	109	1
KYMCDS001D7.1	7,1	7,1	69	109	1
KYMCDS001D7.2	7,2	7,2	69	109	1
KYMCDS001D7.3	7,3	7,3	69	109	1
KYMCDS001D7.4	7,4	7,4	69	109	1
KYMCDS001D7.5	7,5	7,5	69	109	1
KYMCDS001D7.6	7,6	7,6	75	117	1
KYMCDS001D7.7	7,7	7,7	75	117	1
KYMCDS001D7.8	7,8	7,8	75	117	1
KYMCDS001D7.9	7,9	7,9	75	117	1
KYMCDS001D8	8	8	75	117	1
KYMCDS001D8.1	8,1	8,1	75	117	1
KYMCDS001D8.2	8,2	8,2	75	117	1
KYMCDS001D8.3	8,3	8,3	75	117	1
KYMCDS001D8.4	8,4	8,4	75	117	1
KYMCDS001D8.5	8,5	8,5	75	117	1
KYMCDS001D8.6	8,6	8,6	81	125	1
KYMCDS001D8.7	8,7	8,7	81	125	1
KYMCDS001D8.8	8,8	8,8	81	125	1
KYMCDS001D8.9	8,9	8,9	81	125	1
KYMCDS001D9	9	9	81	125	1
KYMCDS001D9.1	9,1	9,1	81	125	1
KYMCDS001D9.2	9,2	9,2	81	125	1
KYMCDS001D9.3	9,3	9,3	81	125	1
KYMCDS001D9.4	9,4	9,4	81	125	1
KYMCDS001D9.5	9,5	9,5	81	125	1
KYMCDS001D9.6	9,6	9,6	87	133	1
KYMCDS001D9.7	9,7	9,7	87	133	1
KYMCDS001D9.8	9,8	9,8	87	133	1
KYMCDS001D9.9	9,9	9,9	87	133	1
KYMCDS001D10	10	10	87	133	1
KYMCDS001D10.1	10,1	10,1	87	133	1
KYMCDS001D10.2	10,2	10,2	87	133	1
KYMCDS001D10.3	10,3	10,3	87	133	1
KYMCDS001D10.4	10,4	10,4	87	133	1
KYMCDS001D10.5	10,5	10,5	87	133	1
KYMCDS001D10.6	10,6	10,6	87	133	1
KYMCDS001D10.7	10,7	10,7	94	142	1

BESTELL.-NR. ARTICOLO ORDER NR.	Ø D m7	Ø d h6	L2	L1	Pcs.
KYMCDS001D10.8	10,8	10,8	94	142	1
KYMCDS001D10.9	10,9	10,9	94	142	1
KYMCDS001D11	11	11	94	142	1
KYMCDS001D11.1	11,1	11,1	94	142	1
KYMCDS001D11.2	11,2	11,2	94	142	1
KYMCDS001D11.3	11,3	11,3	94	142	1
KYMCDS001D11.4	11,4	11,4	94	142	1
KYMCDS001D11.5	11,5	11,5	94	142	1
KYMCDS001D11.6	11,6	11,6	94	142	1
KYMCDS001D11.7	11,7	11,7	94	142	1
KYMCDS001D11.8	11,8	11,8	94	142	1
KYMCDS001D11.9	11,9	11,9	101	151	1
KYMCDS001D12	12	12	101	151	1
KYMCDS001D12.1	12,1	12,1	101	151	1
KYMCDS001D12.2	12,2	12,2	101	151	1
KYMCDS001D12.3	12,3	12,3	101	151	1
KYMCDS001D12.4	12,4	12,4	101	151	1
KYMCDS001D12.5	12,5	12,5	101	151	1
KYMCDS001D12.6	12,6	12,6	101	151	1
KYMCDS001D12.7	12,7	12,7	101	151	1
KYMCDS001D12.8	12,8	12,8	101	151	1
KYMCDS001D12.9	12,9	12,9	101	151	1
KYMCDS001D13	13	13	101	151	1
KYMCDS001D13.5	13,5	13,5	108	160	1
KYMCDS001D14	14	14	108	160	1
KYMCDS001D14.5	14,5	14,5	114	169	1
KYMCDS001D15	15	15	114	169	1
KYMCDS001D15.5	15,5	15,5	120	178	1
KYMCDS001D16	16	16	120	178	1
KYMCDS001D16.5	16,5	16,5	125	184	1
KYMCDS001D17	17	17	125	184	1
KYMCDS001D17.5	17,5	17,5	130	191	1
KYMCDS001D18	18	18	130	191	1
KYMCDS001D18.5	18,5	18,5	135	198	1
KYMCDS001D19	19	19	135	198	1
KYMCDS001D19.5	19,5	19,5	140	205	1
KYMCDS001D20	20	20	140	205	1

DIN
6527K

MD
CARBIDE

WHEEL
CUTTING

140°

30°
HELIX

TiAlN

P1

M3

K5

S2

S4



BESTELL.-NR. ARTICOLO ORDER NR.	Ø D	Ø d	L2	L1	Pcs.
KYMCDS002D3	3	3	16	46	1
KYMCDS002D3.1	3,1	3,1	18	49	1
KYMCDS002D3.2	3,2	3,2	18	49	1
KYMCDS002D3.3	3,3	3,3	18	49	1
KYMCDS002D3.4	3,4	3,4	20	52	1
KYMCDS002D3.5	3,5	3,5	20	52	1
KYMCDS002D3.6	3,6	3,6	20	52	1
KYMCDS002D3.7	3,7	3,7	20	52	1
KYMCDS002D3.8	3,8	3,8	22	55	1
KYMCDS002D3.9	3,9	3,9	22	55	1
KYMCDS002D4	4	4	22	55	1
KYMCDS002D4.1	4,1	4,1	22	55	1
KYMCDS002D4.2	4,2	4,2	22	55	1
KYMCDS002D4.3	4,3	4,3	24	58	1
KYMCDS002D4.4	4,4	4,4	24	58	1
KYMCDS002D4.5	4,5	4,5	24	58	1
KYMCDS002D4.6	4,6	4,6	24	58	1
KYMCDS002D4.7	4,7	4,7	24	58	1
KYMCDS002D4.8	4,8	4,8	26	62	1
KYMCDS002D4.9	4,9	4,9	26	62	1
KYMCDS002D5	5	5	26	62	1
KYMCDS002D5.1	5,1	5,1	26	62	1
KYMCDS002D5.2	5,2	5,2	26	62	1
KYMCDS002D5.3	5,3	5,3	26	62	1
KYMCDS002D5.4	5,4	5,4	28	66	1
KYMCDS002D5.5	5,5	5,5	28	66	1
KYMCDS002D5.6	5,6	5,6	28	66	1
KYMCDS002D5.7	5,7	5,7	28	66	1
KYMCDS002D5.8	5,8	5,8	28	66	1
KYMCDS002D5.9	5,9	5,9	28	66	1
KYMCDS002D6	6	6	28	66	1
KYMCDS002D6.1	6,1	6,1	31	70	1
KYMCDS002D6.2	6,2	6,2	31	70	1
KYMCDS002D6.3	6,3	6,3	31	70	1
KYMCDS002D6.4	6,4	6,4	31	70	1
KYMCDS002D6.5	6,5	6,5	31	70	1
KYMCDS002D6.6	6,6	6,6	31	70	1
KYMCDS002D6.7	6,7	6,7	31	70	1
KYMCDS002D6.8	6,8	6,8	34	74	1

BESTELL.-NR. ARTICOLO ORDER NR.	Ø D	Ø d	L2	L1	Pcs.
KYMCDS002D6.9	6,9	6,9	34	74	1
KYMCDS002D7	7	7	34	74	1
KYMCDS002D7.1	7,1	7,1	34	74	1
KYMCDS002D7.2	7,2	7,2	34	74	1
KYMCDS002D7.3	7,3	7,3	34	74	1
KYMCDS002D7.4	7,4	7,4	34	74	1
KYMCDS002D7.5	7,5	7,5	34	74	1
KYMCDS002D7.6	7,6	7,6	37	79	1
KYMCDS002D7.7	7,7	7,7	37	79	1
KYMCDS002D7.8	7,8	7,8	37	79	1
KYMCDS002D7.9	7,9	7,9	37	79	1
KYMCDS002D8	8	8	37	79	1
KYMCDS002D8.1	8,1	8,1	37	79	1
KYMCDS002D8.2	8,2	8,2	37	79	1
KYMCDS002D8.3	8,3	8,3	37	79	1
KYMCDS002D8.4	8,4	8,4	37	79	1
KYMCDS002D8.5	8,5	8,5	37	79	1
KYMCDS002D8.6	8,6	8,6	40	84	1
KYMCDS002D8.7	8,7	8,7	40	84	1
KYMCDS002D8.8	8,8	8,8	40	84	1
KYMCDS002D8.9	8,9	8,9	40	84	1
KYMCDS002D9	9	9	40	84	1
KYMCDS002D9.1	9,1	9,1	40	84	1
KYMCDS002D9.2	9,2	9,2	40	84	1
KYMCDS002D9.3	9,3	9,3	40	84	1
KYMCDS002D9.4	9,4	9,4	40	84	1
KYMCDS002D9.5	9,5	9,5	40	84	1
KYMCDS002D9.6	9,6	9,6	43	89	1
KYMCDS002D9.7	9,7	9,7	43	89	1
KYMCDS002D9.8	9,8	9,8	43	89	1
KYMCDS002D9.9	9,9	9,9	43	89	1
KYMCDS002D10	10	10	43	89	1
KYMCDS002D10.1	10,1	10,1	43	89	1
KYMCDS002D10.2	10,2	10,2	43	89	1
KYMCDS002D10.3	10,3	10,3	43	89	1
KYMCDS002D10.4	10,4	10,4	43	89	1
KYMCDS002D10.5	10,5	10,5	43	89	1
KYMCDS002D10.6	10,6	10,6	43	89	1
KYMCDS002D10.7	10,7	10,7	47	95	1

BESTELL.-NR. ARTICOLO ORDER NR.	Ø D	Ø d	L2	L1	Pcs.
KYMCDS002D10.8	10,8	10,8	47	95	1
KYMCDS002D10.9	10,9	10,9	47	95	1
KYMCDS002D11	11	11	47	95	1
KYMCDS002D11.1	11,1	11,1	47	95	1
KYMCDS002D11.2	11,2	11,2	47	95	1
KYMCDS002D11.3	11,3	11,3	47	95	1
KYMCDS002D11.4	11,4	11,4	47	95	1
KYMCDS002D11.5	11,5	11,5	47	95	1
KYMCDS002D11.6	11,6	11,6	47	95	1
KYMCDS002D11.7	11,7	11,7	47	95	1
KYMCDS002D11.8	11,8	11,8	47	95	1
KYMCDS002D11.9	11,9	11,9	51	102	1
KYMCDS002D12	12	12	51	102	1
KYMCDS002D12.1	12,1	12,1	51	102	1
KYMCDS002D12.2	12,2	12,2	51	102	1
KYMCDS002D12.3	12,3	12,3	51	102	1
KYMCDS002D12.4	12,4	12,4	51	102	1
KYMCDS002D12.5	12,5	12,5	51	102	1
KYMCDS002D12.6	12,6	12,6	51	102	1
KYMCDS002D12.7	12,7	12,7	51	102	1
KYMCDS002D12.8	12,8	12,8	51	102	1
KYMCDS002D12.9	12,9	12,9	51	102	1
KYMCDS002D13	13	13	51	102	1
KYMCDS002D13.5	13,5	13,5	54	107	1
KYMCDS002D14	14	14	54	107	1
KYMCDS002D14.5	14,5	14,5	56	111	1
KYMCDS002D15	15	15	56	111	1
KYMCDS002D15.5	15,5	15,5	58	115	1
KYMCDS002D16	16	16	58	115	1
KYMCDS002D16.5	16,5	16,5	60	119	1
KYMCDS002D17	17	17	60	119	1
KYMCDS002D17.5	17,5	17,5	62	123	1
KYMCDS002D18	18	18	62	123	1
KYMCDS002D18.5	18,5	18,5	64	127	1
KYMCDS002D19	19	19	64	127	1
KYMCDS002D19.5	19,5	19,5	66	131	1
KYMCDS002D20	20	20	66	131	1



HARTMETALLBOHRER VERSTÄRKTER SCHAFT - TiAlN - 3xD - DIN 6537K
PUNTE IN METALLO DURO GAMBO RINFORZATO - TiAlN - 3xD - DIN 6537K
CARBIDE DRILL REINFORCED SHANK - TiAlN - 3xD - DIN 6537K

DIN
6537K

MD
CARBIDE

WHEEL
CUTTING

140°

30°
HELIX

TiAlN

P1

M3

K5

S2

S4



BESTELL.-NR. ARTICOLO ORDER NR.	Ø D	Ø d	L2	L1	Pcs.
	h8				
KYMCDS001D3	3	6	20	62	1
KYMCDS001D3.1	3,1	6	20	62	1
KYMCDS001D3.2	3,2	6	20	62	1
KYMCDS001D3.3	3,3	6	20	62	1
KYMCDS001D3.4	3,4	6	20	62	1
KYMCDS001D3.5	3,5	6	20	62	1
KYMCDS001D3.6	3,6	6	20	62	1
KYMCDS001D3.7	3,7	6	20	62	1
KYMCDS001D3.8	3,8	6	24	66	1
KYMCDS001D3.9	3,9	6	24	66	1
KYMCDS001D4	4	6	24	66	1
KYMCDS001D4.1	4,1	6	24	66	1
KYMCDS001D4.2	4,2	6	24	66	1
KYMCDS001D4.3	4,3	6	24	66	1
KYMCDS001D4.4	4,4	6	24	66	1
KYMCDS001D4.5	4,5	6	24	66	1
KYMCDS001D4.6	4,6	6	24	66	1
KYMCDS001D4.7	4,7	6	24	66	1
KYMCDS001D4.8	4,8	6	28	66	1
KYMCDS001D4.9	4,9	6	28	66	1
KYMCDS001D5	5	6	28	66	1
KYMCDS001D5.1	5,1	6	28	66	1
KYMCDS001D5.2	5,2	6	28	66	1
KYMCDS001D5.3	5,3	6	28	66	1
KYMCDS001D5.4	5,4	6	28	66	1
KYMCDS001D5.5	5,5	6	28	66	1
KYMCDS001D5.6	5,6	6	28	66	1
KYMCDS001D5.7	5,7	6	28	66	1
KYMCDS001D5.8	5,8	6	28	66	1
KYMCDS001D5.9	5,9	6	28	66	1
KYMCDS001D6	6	6	28	66	1
KYMCDS001D6.1	6,1	8	34	79	1
KYMCDS001D6.2	6,2	8	34	79	1
KYMCDS001D6.3	6,3	8	34	79	1
KYMCDS001D6.4	6,4	8	34	79	1
KYMCDS001D6.5	6,5	8	34	79	1
KYMCDS001D6.6	6,6	8	34	79	1
KYMCDS001D6.7	6,7	8	34	79	1
KYMCDS001D6.8	6,8	8	34	79	1

BESTELL.-NR. ARTICOLO ORDER NR.	Ø D	Ø d	L2	L1	Pcs.
	h8				
KYMCDS001D6.9	6,9	8	34	79	1
KYMCDS001D7	7	8	34	79	1
KYMCDS001D7.1	7,1	8	41	79	1
KYMCDS001D7.2	7,2	8	41	79	1
KYMCDS001D7.3	7,3	8	41	79	1
KYMCDS001D7.4	7,4	8	41	79	1
KYMCDS001D7.5	7,5	8	41	79	1
KYMCDS001D7.6	7,6	8	41	79	1
KYMCDS001D7.7	7,7	8	41	79	1
KYMCDS001D7.8	7,8	8	41	79	1
KYMCDS001D7.9	7,9	8	41	79	1
KYMCDS001D8	8	8	41	79	1
KYMCDS001D8.1	8,1	10	47	89	1
KYMCDS001D8.2	8,2	10	47	89	1
KYMCDS001D8.3	8,3	10	47	89	1
KYMCDS001D8.4	8,4	10	47	89	1
KYMCDS001D8.5	8,5	10	47	89	1
KYMCDS001D8.6	8,6	10	47	89	1
KYMCDS001D8.7	8,7	10	47	89	1
KYMCDS001D8.8	8,8	10	47	89	1
KYMCDS001D8.9	8,9	10	47	89	1
KYMCDS001D9	9	10	47	89	1
KYMCDS001D9.1	9,1	10	47	89	1
KYMCDS001D9.2	9,2	10	47	89	1
KYMCDS001D9.3	9,3	10	47	89	1
KYMCDS001D9.4	9,4	10	47	89	1
KYMCDS001D9.5	9,5	10	47	89	1
KYMCDS001D9.6	9,6	10	47	89	1
KYMCDS001D9.7	9,7	10	47	89	1
KYMCDS001D9.8	9,8	10	47	89	1
KYMCDS001D9.9	9,9	10	47	89	1
KYMCDS001D10	10	10	47	89	1
KYMCDS001D10.1	10,1	12	55	102	1
KYMCDS001D10.2	10,2	12	55	102	1
KYMCDS001D10.3	10,3	12	55	102	1
KYMCDS001D10.4	10,4	12	55	102	1
KYMCDS001D10.5	10,5	12	55	102	1
KYMCDS001D10.6	10,6	12	55	102	1
KYMCDS001D10.7	10,7	12	55	102	1

BESTELL.-NR. ARTICOLO ORDER NR.	Ø D	Ø d	L2	L1	Pcs.
	h8				
KYMCDS001D10.8	10,8	12	55	102	1
KYMCDS001D10.9	10,9	12	55	102	1
KYMCDS001D11	11	12	55	102	1
KYMCDS001D11.1	11,1	12	55	102	1
KYMCDS001D11.2	11,2	12	55	102	1
KYMCDS001D11.3	11,3	12	55	102	1
KYMCDS001D11.4	11,4	12	55	102	1
KYMCDS001D11.5	11,5	12	55	102	1
KYMCDS001D11.6	11,6	12	55	102	1
KYMCDS001D11.7	11,7	12	55	102	1
KYMCDS001D11.8	11,8	12	55	102	1
KYMCDS001D11.9	11,9	12	55	102	1
KYMCDS001D12	12	12	55	102	1
KYMCDS001D12.1	12,1	14	60	107	1
KYMCDS001D12.2	12,2	14	60	107	1
KYMCDS001D12.3	12,3	14	60	107	1
KYMCDS001D12.4	12,4	14	60	107	1
KYMCDS001D12.5	12,5	14	60	107	1
KYMCDS001D12.6	12,6	14	60	107	1
KYMCDS001D12.7	12,7	14	60	107	1
KYMCDS001D12.8	12,8	14	60	107	1
KYMCDS001D12.9	12,9	14	60	107	1
KYMCDS001D13	13	14	60	107	1
KYMCDS001D13.5	13,5	14	60	107	1
KYMCDS001D14	14	14	60	107	1
KYMCDS001D14.5	14,5	16	65	115	1
KYMCDS001D15	15	16	65	115	1
KYMCDS001D15.5	15,5	16	65	115	1
KYMCDS001D16	16	16	65	115	1
KYMCDS001D16.5	16,5	18	73	123	1
KYMCDS001D17	17	18	73	123	1
KYMCDS001D17.5	17,5	18	73	123	1
KYMCDS001D18	18	18	73	123	1
KYMCDS001D18.5	18,5	20	19	131	1
KYMCDS001D19	19	20	19	131	1
KYMCDS001D19.5	19,5	20	19	131	1
KYMCDS001D20	20	20	19	131	1



HARTMETALLBOHRER VERSTÄRKTER SCHAFT - TiAlN - 4xD - DIN 6537I
PUNTE IN METALLO DURO GAMBO RINFORZATO - TiAlN - 4xD - DIN 6537I
CARBIDE DRILL REINFORCED SHANK - TiAlN - 4xD - DIN 6537I

DIN
6537L

MD
CARBIDE

WHEEL
CUTTING

140°

30°
HELIX

TiAlN

P1

M3

K5

S2

S4



BESTELL.-NR. ARTICOLO ORDER NR.	Ø D	Ø d	L2	L1	Pcs.
	h8				
KYMCDRS002D3	3	6	28	62	1
KYMCDRS002D3.1	3,1	6	28	62	1
KYMCDRS002D3.2	3,2	6	28	62	1
KYMCDRS002D3.3	3,3	6	28	62	1
KYMCDRS002D3.4	3,4	6	28	62	1
KYMCDRS002D3.5	3,5	6	28	62	1
KYMCDRS002D3.6	3,6	6	28	62	1
KYMCDRS002D3.7	3,7	6	28	62	1
KYMCDRS002D3.8	3,8	6	36	74	1
KYMCDRS002D3.9	3,9	6	36	74	1
KYMCDRS002D4	4	6	36	74	1
KYMCDRS002D4.1	4,1	6	36	74	1
KYMCDRS002D4.2	4,2	6	36	74	1
KYMCDRS002D4.3	4,3	6	36	74	1
KYMCDRS002D4.4	4,4	6	36	74	1
KYMCDRS002D4.5	4,5	6	36	74	1
KYMCDRS002D4.6	4,6	6	36	74	1
KYMCDRS002D4.7	4,7	6	36	74	1
KYMCDRS002D4.8	4,8	6	44	82	1
KYMCDRS002D4.9	4,9	6	44	82	1
KYMCDRS002D5	5	6	44	82	1
KYMCDRS002D5.1	5,1	6	44	82	1
KYMCDRS002D5.2	5,2	6	44	82	1
KYMCDRS002D5.3	5,3	6	44	82	1
KYMCDRS002D5.4	5,4	6	44	82	1
KYMCDRS002D5.5	5,5	6	44	82	1
KYMCDRS002D5.6	5,6	6	44	82	1
KYMCDRS002D5.7	5,7	6	44	82	1
KYMCDRS002D5.8	5,8	6	44	82	1
KYMCDRS002D5.9	5,9	6	44	82	1
KYMCDRS002D6	6	6	44	82	1
KYMCDRS002D6.1	6,1	8	53	91	1
KYMCDRS002D6.2	6,2	8	53	91	1
KYMCDRS002D6.3	6,3	8	53	91	1
KYMCDRS002D6.4	6,4	8	53	91	1
KYMCDRS002D6.5	6,5	8	53	91	1
KYMCDRS002D6.6	6,6	8	53	91	1
KYMCDRS002D6.7	6,7	8	53	91	1
KYMCDRS002D6.8	6,8	8	53	91	1

BESTELL.-NR. ARTICOLO ORDER NR.	Ø D	Ø d	L2	L1	Pcs.
	h8				
KYMCDRS002D6.9	6,9	8	53	91	1
KYMCDRS002D7	7	8	53	91	1
KYMCDRS002D7.1	7,1	8	53	91	1
KYMCDRS002D7.2	7,2	8	53	91	1
KYMCDRS002D7.3	7,3	8	53	91	1
KYMCDRS002D7.4	7,4	8	53	91	1
KYMCDRS002D7.5	7,5	8	53	91	1
KYMCDRS002D7.6	7,6	8	53	91	1
KYMCDRS002D7.7	7,7	8	53	91	1
KYMCDRS002D7.8	7,8	8	53	91	1
KYMCDRS002D7.9	7,9	8	53	91	1
KYMCDRS002D8	8	8	53	91	1
KYMCDRS002D8.1	8,1	10	61	103	1
KYMCDRS002D8.2	8,2	10	61	103	1
KYMCDRS002D8.3	8,3	10	61	103	1
KYMCDRS002D8.4	8,4	10	61	103	1
KYMCDRS002D8.5	8,5	10	61	103	1
KYMCDRS002D8.6	8,6	10	61	103	1
KYMCDRS002D8.7	8,7	10	61	103	1
KYMCDRS002D8.8	8,8	10	61	103	1
KYMCDRS002D8.9	8,9	10	61	103	1
KYMCDRS002D9	9	10	61	103	1
KYMCDRS002D9.1	9,1	10	61	103	1
KYMCDRS002D9.2	9,2	10	61	103	1
KYMCDRS002D9.3	9,3	10	61	103	1
KYMCDRS002D9.4	9,4	10	61	103	1
KYMCDRS002D9.5	9,5	10	61	103	1
KYMCDRS002D9.6	9,6	10	61	103	1
KYMCDRS002D9.7	9,7	10	61	103	1
KYMCDRS002D9.8	9,8	10	61	103	1
KYMCDRS002D9.9	9,9	10	61	103	1
KYMCDRS002D10	10	10	61	103	1
KYMCDRS002D10.1	10,1	12	71	118	1
KYMCDRS002D10.2	10,2	12	71	118	1
KYMCDRS002D10.3	10,3	12	71	118	1
KYMCDRS002D10.4	10,4	12	71	118	1
KYMCDRS002D10.5	10,5	12	71	118	1
KYMCDRS002D10.6	10,6	12	71	118	1
KYMCDRS002D10.7	10,7	12	71	118	1

BESTELL.-NR. ARTICOLO ORDER NR.	Ø D	Ø d	L2	L1	Pcs.
	h8				
KYMCDRS002D10.8	10,8	12	71	118	1
KYMCDRS002D10.9	10,9	12	71	118	1
KYMCDRS002D11	11	12	71	118	1
KYMCDRS002D11.1	11,1	12	71	118	1
KYMCDRS002D11.2	11,2	12	71	118	1
KYMCDRS002D11.3	11,3	12	71	118	1
KYMCDRS002D11.4	11,4	12	71	118	1
KYMCDRS002D11.5	11,5	12	71	118	1
KYMCDRS002D11.6	11,6	12	71	118	1
KYMCDRS002D11.7	11,7	12	71	118	1
KYMCDRS002D11.8	11,8	12	71	118	1
KYMCDRS002D11.9	11,9	12	71	118	1
KYMCDRS002D12	12	12	71	118	1
KYMCDRS002D12.1	12,1	14	77	124	1
KYMCDRS002D12.2	12,2	14	77	124	1
KYMCDRS002D12.3	12,3	14	77	124	1
KYMCDRS002D12.4	12,4	14	77	124	1
KYMCDRS002D12.5	12,5	14	77	124	1
KYMCDRS002D12.6	12,6	14	77	124	1
KYMCDRS002D12.7	12,7	14	77	124	1
KYMCDRS002D12.8	12,8	14	77	124	1
KYMCDRS002D12.9	12,9	14	77	124	1
KYMCDRS002D13	13	14	77	124	1
KYMCDRS002D13.5	13,5	14	77	124	1
KYMCDRS002D14	14	14	77	124	1
KYMCDRS002D14.5	14,5	16	83	133	1
KYMCDRS002D15	15	16	83	133	1
KYMCDRS002D15.5	15,5	16	83	133	1
KYMCDRS002D16	16	16	83	133	1
KYMCDRS002D16.5	16,5	18	93	143	1
KYMCDRS002D17	17	18	93	143	1
KYMCDRS002D17.5	17,5	18	93	143	1
KYMCDRS002D18	18	18	93	143	1
KYMCDRS002D18.5	18,5	20	101	153	1
KYMCDRS002D19	19	20	101	153	1
KYMCDRS002D19.5	19,5	20	101	153	1
KYMCDRS002D20	20	20	101	153	1



LANGLOCHFRÄSER, HSSE-M42, TiAIN, Z=2, DIN 327
FRESE DI FINITURA, HSSE-M42, TiAIN, Z=2, DIN 327
FINISHING MILLING CUTTER, HSSE-M42, TiAIN, Z=2, DIN 327

DIN
327

HSSE
8% Co

WHEEL
CUTTING


N
TYP



TiAIN

M3

K5



BESTELL.-NR. ARTICOLO ORDER NR.	Ø D e8	Ø d h6	L2	L1	Pcs.
KY11AD0100	1	6	3	46	1
KY11AD0150	1,5	6	4	48	1
KY11AD0200	2	6	4	48	1
KY11AD0250	2,5	6	5	49	1
KY11AD0300	3	6	5	49	1
KY11AD0350	3,5	6	7	51	1
KY11AD0400	4	6	7	51	1
KY11AD0450	4,5	6	8	52	1
KY11AD0500	5	6	8	52	1
KY11AD0550	5,5	6	8	52	1
KY11AD0600	6	6	8	52	1
KY11AD0650	6,5	10	10	60	1
KY11AD0700	7	10	10	60	1
KY11AD0750	7,5	10	11	61	1
KY11AD0800	8	10	11	61	1

BESTELL.-NR. ARTICOLO ORDER NR.	Ø D e8	Ø d h6	L2	L1	Pcs.
KY11AD0850	8,5	10	13	63	1
KY11AD0900	9	10	13	63	1
KY11AD0950	9,5	10	13	63	1
KY11AD1000	10	10	13	63	1
KY11AD1100	11	12	16	73	1
KY11AD1200	12	12	16	73	1
KY11AD1300	13	12	16	73	1
KY11AD1400	14	12	16	73	1
KY11AD1500	15	12	16	73	1
KY11AD1600	16	16	19	79	1
KY11AD1700	17	16	19	79	1
KY11AD1800	18	16	19	79	1
KY11AD1900	19	16	19	79	1
KY11AD2000	20	20	22	88	1
KY11AD2100	21	20	22	88	1

BESTELL.-NR. ARTICOLO ORDER NR.	Ø D e8	Ø d h9	L2	L1	Pcs.
KY11AD2200	22	20	22	88	1
KY11AD2300	23	20	22	88	1
KY11AD2400	24	25	26	102	1
KY11AD2500	25	25	26	102	1
KY11AD2600	26	25	26	102	1
KY11AD2800	28	25	26	102	1
KY11AD3000	30	25	26	102	1
KY11AD3200	32	32	32	112	1
KY11AD3400	34	32	32	112	1
KY11AD3600	36	32	32	112	1
KY11AD4000	40	40	38	130	1
KY11AD4500	45	40	38	130	1
KY11AD5000	50	50	45	147	1



LANGLOCHFRÄSER, HSSE-M42, TiAIN, Z=3, DIN 844
FRESE DI FINITURA, HSSE-M42, TiAIN, Z=3, DIN 844
FINISHING MILLING CUTTER, HSSE-M42, TiAIN, Z=3, DIN 844

DIN
844

HSSE
8% Co

WHEEL
CUTTING


N
TYP



TiAIN

M3

K5



BESTELL.-NR. ARTICOLO ORDER NR.	Ø D h10	Ø d h6	L2	L1	Pcs.
KY12AD0100	1	6	5	49	1
KY12AD0200	2	6	7	51	1
KY12AD0300	3	6	8	52	1
KY12AD0400	4	6	11	55	1
KY12AD0500	5	6	13	57	1
KY12AD0600	6	6	13	57	1
KY12AD0700	7	10	16	66	1
KY12AD0800	8	10	19	69	1
KY12AD0900	9	10	19	69	1
KY12AD1000	10	10	22	72	1
KY12AD1100	11	12	22	79	1

BESTELL.-NR. ARTICOLO ORDER NR.	Ø D h10	Ø d h6	L2	L1	Pcs.
KY12AD1200	12	12	26	83	1
KY12AD1300	13	12	26	83	1
KY12AD1400	14	12	26	83	1
KY12AD1500	15	12	26	83	1
KY12AD1600	16	16	32	92	1
KY12AD1700	17	16	32	92	1
KY12AD1800	18	16	32	92	1
KY12AD1900	19	16	32	92	1
KY12AD2000	20	20	38	104	1
KY12AD2200	22	20	38	104	1
KY12AD2300	23	20	38	104	1

BESTELL.-NR. ARTICOLO ORDER NR.	Ø D h10	Ø d h6	L2	L1	Pcs.
KY12AD2400	24	25	45	121	1
KY12AD2500	25	25	45	121	1
KY12AD2600	26	25	45	121	1
KY12AD2800	28	25	45	121	1
KY12AD3000	30	25	45	121	1
KY12AD3200	32	32	53	133	1
KY12AD3400	34	32	53	133	1
KY12AD3600	36	32	53	133	1
KY12AD4000	40	40	63	155	1
KY12AD4500	45	40	63	155	1
KY12AD5000	50	50	75	177	1



LOCHFRÄSER, HSSE-M42, TiAIN, Z=4, DIN 844
FRESE DI FINITURA, HSSE-M42, TiAIN, Z=4, DIN 844
FINISHING MILLING CUTTER, HSSE-M42, TiAIN, Z=4, DIN 844

DIN
327

HSSE
8% Co

WHEEL
CUTTING

N
TYP



TiAIN

M3

K5



BESTELL.-NR. ARTICOLO ORDER NR.	Ø D e8	Ø d h6	L2	L1	Pcs.
KY13AD0100	1	6	5	49	1
KY13AD0150	1,5	6	7	51	1
KY13AD0200	2	6	7	51	1
KY13AD0250	2,5	6	8	52	1
KY13AD0300	3	6	8	52	1
KY13AD0350	3,5	6	10	54	1
KY13AD0400	4	6	11	55	1
KY13AD0450	4,5	6	11	55	1
KY13AD0500	5	6	13	57	1
KY13AD0550	5,5	6	13	57	1
KY13AD0600	6	6	13	57	1
KY13AD0650	6,5	10	16	66	1
KY13AD0700	7	10	16	66	1
KY13AD0750	7,5	10	19	69	1
KY13AD0800	8	10	19	69	1

BESTELL.-NR. ARTICOLO ORDER NR.	Ø D e8	Ø d h6	L2	L1	Pcs.
KY13AD0850	8,5	10	19	69	1
KY13AD0900	9	10	19	69	1
KY13AD0950	9,5	10	22	72	1
KY13AD1000	10	10	22	72	1
KY13AD1100	11	12	22	79	1
KY13AD1200	12	12	26	83	1
KY13AD1300	13	12	26	83	1
KY13AD1400	14	12	26	83	1
KY13AD1500	15	12	26	83	1
KY13AD1600	16	16	32	92	1
KY13AD1700	17	16	32	92	1
KY13AD1800	18	16	32	92	1
KY13AD1900	19	16	32	92	1
KY13AD2000	20	20	38	104	1
KY13AD2100	21	20	38	104	1

BESTELL.-NR. ARTICOLO ORDER NR.	Ø D e8	Ø d h9	L2	L1	Pcs.
KY13AD2200	22	20	38	104	1
KY13AD2300	23	20	38	104	1
KY13AD2400	24	25	45	121	1
KY13AD2500	25	25	45	121	1
KY13AD2600	26	25	45	121	1
KY13AD2800	28	25	45	121	1
KY13AD3000	30	25	45	121	1
KY13AD3200	32	32	53	133	1
KY13AD3400	34	32	53	133	1
KY13AD3600	36	32	53	133	1
KY13AD4000	40	40	63	155	1
KY13AD4200	42	40	63	155	1
KY13AD4500	45	40	63	155	1
KY13AD5000	50	50	75	177	1



SCHRUPPFRÄSER, HSSE-M42, TiAIN, Z=4, DIN 844
FRESA DI SGROSSATURA, HSSE-M42, TiAIN, Z=4, DIN 844
ROUGHING MILLING CUTTER, HSSE-M42, TiAIN, Z=4, DIN 844

DIN
844

HSSE
8% Co

WHEEL
CUTTING

N
TYP




TiAIN

M3

K5

N7



BESTELL.-NR. ARTICOLO ORDER NR.	Ø D h10	Ø d h6	L2	L1	Pcs.
KY15AD0600	6	6	13	57	1
KY15AD0700	7	10	16	66	1
KY15AD0800	8	10	19	69	1
KY15AD0900	9	10	19	69	1
KY15AD1000	10	10	22	72	1
KY15AD1100	11	12	22	79	1
KY15AD1200	12	12	26	83	1
KY15AD1300	13	12	26	83	1
KY15AD1400	14	12	26	83	1

BESTELL.-NR. ARTICOLO ORDER NR.	Ø D h10	Ø d h6	L2	L1	Pcs.
KY15AD1500	15	12	26	83	1
KY15AD1600	16	16	32	92	1
KY15AD1700	17	16	32	92	1
KY15AD1800	18	16	32	92	1
KY15AD2000	20	20	38	104	1
KY15AD2200	22	20	38	104	1
KY15AD2400	24	25	45	121	1
KY15AD2500	25	25	45	121	1
KY15AD2600	26	25	45	121	1

BESTELL.-NR. ARTICOLO ORDER NR.	Ø D h10	Ø d h6	L2	L1	Pcs.
KY15AD2800	28	25	45	121	1
KY15AD3000	30	25	45	121	1
KY15AD3200	32	32	53	133	1
KY15AD3600	36	32	53	133	1
KY15AD4000	40	40	63	155	1
KY15AD4500	45	40	63	155	1
KY15AD5000	50	50	75	177	1



LANGLOCHFRÄSER, HSSE-M42, TiAIN, Z=2, DIN 327
FRESE DI FINITURA LUNGA, HSSE-M42, TiAIN, Z=2, DIN 327
FINISHING LONG MILLING CUTTER, HSSE-M42, TiAIN, Z=2, DIN 327

DIN
844

HSSE
8% Co

WHEEL
CUTTING


N
TYP



TiAIN

M3

K5



BESTELL.-NR. ARTICOLO ORDER NR.	Ø D	Ø d	L2	L1	Pcs.
	e8	h6			
KY16AD0100	1	6	8	52	1
KY16AD0200	2	6	10	54	1
KY16AD0300	3	6	12	56	1
KY16AD0400	4	6	19	63	1
KY16AD0500	5	6	24	68	1
KY16AD0600	6	6	24	68	1
KY16AD0700	7	10	30	80	1
KY16AD0800	8	10	38	88	1
KY16AD0900	9	10	38	88	1

BESTELL.-NR. ARTICOLO ORDER NR.	Ø D	Ø d	L2	L1	Pcs.
	e8	h6			
KY16AD1000	10	10	45	95	1
KY16AD1200	12	12	53	110	1
KY16AD1400	14	12	53	110	1
KY16AD1600	16	16	63	123	1
KY16AD1800	18	16	63	123	1
KY16AD2000	20	20	75	141	1
KY16AD2200	22	20	75	141	1
KY16AD2400	24	25	90	166	1
KY16AD2500	25	25	90	166	1

BESTELL.-NR. ARTICOLO ORDER NR.	Ø D	Ø d	L2	L1	Pcs.
	e8	h9			
KY16AD2600	26	25	90	166	1
KY16AD2800	28	25	90	166	1
KY16AD3000	30	25	90	166	1
KY16AD3200	32	32	106	186	1
KY16AD3400	34	32	106	32	1
KY16AD3600	36	32	106	32	1
KY16AD4000	40	40	125	40	1
KY16AD4500	45	40	125	40	1
KY16AD5000	50	50	150	50	1



HARTMETALLFRÄSER, TiAIN, Z=2, DIN 6527K
FRESE IN METALLO DURO, TiAIN, Z=2, DIN 6527K
CARBIDE MILLING CUTTER, TiAIN, Z=2, DIN 6527K

DIN
6527K

MD
CARBIDE

WHEEL
CUTTING

90°

30°
HELIX

TiAIN


P1

M3

K5

S2

S4



BESTELL.-NR. ARTICOLO ORDER NR.	Ø D e8	Ø d h9	L2	L1	Pcs.
KYMCM2S001D3	3	3	4	50	1
KYMCM2S001D4	4	4	5	54	1
KYMCM2S001D5	5	5	6	54	1
KYMCM2S001D6	6	6	7	54	1
KYMCM2S001D7	7	7	8	58	1
KYMCM2S001D8	8	8	9	58	1
KYMCM2S001D9	9	9	10	66	1
KYMCM2S001D10	10	10	11	66	1
KYMCM2S001D12	12	12	12	73	1
KYMCM2S001D14	14	14	14	75	1
KYMCM2S001D16	16	16	16	82	1
KYMCM2S001D18	18	18	18	84	1
KYMCM2S001D20	20	20	20	92	1



HARTMETALLFRÄSER, TiAIN, Z=2, DIN 6528
FRESE IN METALLO DURO, TiAIN, Z=2, DIN 6528
CARBIDE MILLING CUTTER, TiAIN, Z=2, DIN 6528

DIN
6528

MD
CARBIDE

WHEEL
CUTTING

90°

30°
HELIX

TiAIN

P1

M3

K5

S2

S4



BESTELL.-NR. ARTICOLO ORDER NR.	Ø D e8	Ø d h6	L2	L1	Pcs.
KYMCM2S003D3	3	3	7	50	1
KYMCM2S003D3.5	3,5	3,5	7	50	1
KYMCM2S003D4	4	4	8	50	1
KYMCM2S003D4.5	4,5	4,5	8	50	1
KYMCM2S003D5	5	5	10	50	1
KYMCM2S003D5.5	5,5	5,5	10	57	1
KYMCM2S003D6	6	6	10	57	1
KYMCM2S003D6.5	6,5	6,5	13	60	1
KYMCM2S003D7	7	7	13	60	1

BESTELL.-NR. ARTICOLO ORDER NR.	Ø D e8	Ø d h6	L2	L1	Pcs.
KYMCM2S003D7.5	7,5	7,5	16	63	1
KYMCM2S003D8	8	8	16	63	1
KYMCM2S003D8.5	8,5	8,5	16	67	1
KYMCM2S003D9	9	9	16	67	1
KYMCM2S003D9.5	9,5	9,5	19	72	1
KYMCM2S003D10	10	10	19	72	1
KYMCM2S003D10.5	10,5	10,5	19	72	1
KYMCM2S003D11	11	11	22	83	1
KYMCM2S003D12	12	12	22	83	1

BESTELL.-NR. ARTICOLO ORDER NR.	Ø D e8	Ø d h9	L2	L1	Pcs.
KYMCM2S003D13	13	13	22	83	1
KYMCM2S003D14	14	14	22	83	1
KYMCM2S003D15	15	15	22	92	1
KYMCM2S003D16	16	16	26	92	1
KYMCM2S003D17	17	17	26	92	1
KYMCM2S003D18	18	18	26	92	1
KYMCM2S003D19	19	19	26	92	1
KYMCM2S003D20	20	20	32	104	1



HARTMETALLFRÄSER, TiAlN, Z=3, DIN 6527K
FRESE IN METALLO DURO, TiAlN, Z=3, DIN 6527K
CARBIDE MILLING CUTTER, TiAlN, Z=3, DIN 6527K

DIN
6527K

MD
CARBIDE

WHEEL
CUTTING

90°

30°
HELIX

TiAlN


P1

M3

K5

S2

S4



BESTELL.-NR. ARTICOLO ORDER NR.	Ø D	Ø d	L2	L1	Pcs.
	e8	h6			
KYMCM3S001D3	3	6	4	50	1
KYMCM3S001D4	4	6	5	54	1
KYMCM3S001D5	5	6	6	54	1
KYMCM3S001D6	6	6	7	54	1
KYMCM3S001D7	7	6	8	58	1

BESTELL.-NR. ARTICOLO ORDER NR.	Ø D	Ø d	L2	L1	Pcs.
	e8	h6			
KYMCM3S001D8	8	8	9	58	1
KYMCM3S001D9	9	10	10	66	1
KYMCM3S001D10	10	10	11	66	1
KYMCM3S001D12	12	12	12	73	1
KYMCM3S001D14	14	14	14	75	1

BESTELL.-NR. ARTICOLO ORDER NR.	Ø D	Ø d	L2	L1	Pcs.
	e8	h9			
KYMCM3S001D16	16	16	16	82	1
KYMCM3S001D18	18	18	18	84	1
KYMCM3S001D20	20	20	20	92	1



HARTMETALLFRÄSER, VERSTÄRKTER SCHAFT, TiAlN, Z=3, DIN 6528
FRESE IN METALLO DURO, GAMBO RINFORZATO, TiAlN, Z=3, DIN 6528
CARBIDE MILLING CUTTER, REINFORCED SHANK, TiAlN, Z=3, DIN 6528

DIN
6527K

MD
CARBIDE

WHEEL
CUTTING

90°

30°
HELIX

TiAlN


P1

M3

K5

S2

S4



BESTELL.-NR. ARTICOLO ORDER NR.	Ø D	Ø d	L2	L1	Pcs.
	e8	h6			
KYMCM3S003D3	3	3	7	50	3
KYMCM3S003D3.5	3,5	3,5	7	50	3,5
KYMCM3S003D4	4	4	8	50	4
KYMCM3S003D4.5	4,5	4,5	8	50	4,5
KYMCM3S003D5	5	5	10	50	5
KYMCM3S003D5.5	5,5	5,5	10	57	5,5
KYMCM3S003D6	6	6	10	57	6
KYMCM3S003D6.5	6,5	6,5	13	60	6,5
KYMCM3S003D7	7	7	13	60	7

BESTELL.-NR. ARTICOLO ORDER NR.	Ø D	Ø d	L2	L1	Pcs.
	e8	h6			
KYMCM3S003D7.5	7,5	7,5	16	63	7,5
KYMCM3S003D8	8	8	16	63	8
KYMCM3S003D8.5	8,5	8,5	16	67	8,5
KYMCM3S003D9	9	9	16	67	9
KYMCM3S003D9.5	9,5	9,5	19	72	9,5
KYMCM3S003D10	10	10	19	72	10
KYMCM3S003D10.5	10,5	10,5	19	72	10,5
KYMCM3S003D11	11	11	22	83	11
KYMCM3S003D12	12	12	22	83	12

BESTELL.-NR. ARTICOLO ORDER NR.	Ø D	Ø d	L2	L1	Pcs.
	e8	h9			
KYMCM3S003D13	13	13	22	83	13
KYMCM3S003D14	14	14	22	83	14
KYMCM3S003D15	15	15	22	92	15
KYMCM3S003D16	16	16	26	92	16
KYMCM3S003D17	17	17	26	92	17
KYMCM3S003D18	18	18	26	92	18
KYMCM3S003D19	19	19	26	92	19
KYMCM3S003D20	20	20	32	104	20



HARTMETALLFRÄSER, TiAIN, Z=4, DIN 6527K
FRESE IN METALLO DURO, TiAIN, Z=4, DIN 6527K
CARBIDE MILLING CUTTER, TiAIN, Z=4, DIN 6527K

DIN
6527K

MD
CARBIDE

WHEEL
CUTTING

90°

30°
HELIX

TiAIN


P1

M3

K5

S2

S4



BESTELL.-NR. ARTICOLO ORDER NR.	Ø D e8	Ø d h6	L2	L1	Pcs.
KYMCM4S001D3	3	6	6	50	1
KYMCM4S001D4	4	6	8	54	1
KYMCM4S001D5	5	6	9	54	1
KYMCM4S001D6	6	6	10	54	1
KYMCM4S001D7	7	8	11	58	1

BESTELL.-NR. ARTICOLO ORDER NR.	Ø D e8	Ø d h6	L2	L1	Pcs.
KYMCM4S001D8	8	8	12	58	1
KYMCM4S001D9	9	10	13	66	1
KYMCM4S001D10	10	10	14	66	1
KYMCM4S001D12	12	12	16	73	1
KYMCM4S001D14	14	14	18	75	1

BESTELL.-NR. ARTICOLO ORDER NR.	Ø D e8	Ø d h9	L2	L1	Pcs.
KYMCM4S001D16	16	16	22	82	1
KYMCM4S001D18	18	18	24	84	1
KYMCM4S001D20	20	20	26	92	1



HARTMETALLFRÄSER, TiAIN, Z=4, DIN 6527L
FRESE IN METALLO DURO, TiAIN, Z=4, DIN 6527L
CARBIDE MILLING CUTTER, TiAIN, Z=4, DIN 6527L

DIN
6527K

MD
CARBIDE

WHEEL
CUTTING

90°

30°
HELIX

TiAIN


P1

M3

K5

S2

S4



BESTELL.-NR. ARTICOLO ORDER NR.	Ø D e8	Ø d h6	L2	L1	Pcs.
KYMCM4S002D3	3	6	8	57	1
KYMCM4S002D4	4	6	11	57	1
KYMCM4S002D5	5	6	13	57	1
KYMCM4S002D6	6	6	13	57	1
KYMCM4S002D7	7	8	16	63	1

BESTELL.-NR. ARTICOLO ORDER NR.	Ø D e8	Ø d h6	L2	L1	Pcs.
KYMCM4S002D8	8	8	19	63	1
KYMCM4S002D9	9	10	19	72	1
KYMCM4S002D10	10	10	22	72	1
KYMCM4S002D12	12	12	26	83	1
KYMCM4S002D14	14	14	26	83	1

BESTELL.-NR. ARTICOLO ORDER NR.	Ø D e8	Ø d h9	L2	L1	Pcs.
KYMCM4S002D16	16	16	32	92	1
KYMCM4S002D18	18	18	32	92	1
KYMCM4S002D20	20	20	38	104	1



HARTMETALLFRÄSER, TiAIN, Z=4, DIN 6528
FRESE IN METALLO DURO, TiAIN, Z=4, DIN 6528
CARBIDE MILLING CUTTER, TiAIN, Z=4, DIN 6528

DIN
6527K

MD
CARBIDE

WHEEL
CUTTING

90°

30°
HELIX

TiAIN


P1

M3

K5

S2

S4



BESTELL.-NR. ARTICOLO ORDER NR.	Ø D e8	Ø d h6	L2	L1	Pcs.
KYMCM4S003D3	3	3	10	50	1
KYMCM4S003D3.5	3,5	3,5	10	50	1
KYMCM4S003D4	4	4	11	50	1
KYMCM4S003D4.5	4,5	4,5	11	50	1
KYMCM4S003D5	5	5	13	50	1
KYMCM4S003D5.5	5,5	5,5	13	57	1
KYMCM4S003D6	6	6	13	57	1
KYMCM4S003D6.5	6,5	6,5	16	60	1
KYMCM4S003D7	7	7	16	60	1

BESTELL.-NR. ARTICOLO ORDER NR.	Ø D e8	Ø d h6	L2	L1	Pcs.
KYMCM4S003D7.5	7,5	7,5	19	63	1
KYMCM4S003D8	8	8	19	63	1
KYMCM4S003D8.5	8,5	8,5	19	67	1
KYMCM4S003D9	9	9	19	67	1
KYMCM4S003D9.5	9,5	9,5	22	72	1
KYMCM4S003D10	10	10	22	72	1
KYMCM4S003D10.5	10,5	10,5	22	72	1
KYMCM4S003D11	11	11	25	83	1
KYMCM4S003D12	12	12	25	83	1

BESTELL.-NR. ARTICOLO ORDER NR.	Ø D e8	Ø d h9	L2	L1	Pcs.
KYMCM4S003D13	13	13	25	83	1
KYMCM4S003D14	14	14	26	83	1
KYMCM4S003D15	15	15	32	92	1
KYMCM4S003D16	16	16	32	92	1
KYMCM4S003D17	17	17	32	92	1
KYMCM4S003D18	18	18	32	92	1
KYMCM4S003D19	19	19	32	92	1
KYMCM4S003D20	20	20	38	104	1



HARTMETALLFRÄSER, TiAIN, Z=4, DIN 6528, 45°
FRESE IN METALLO DURO, TiAIN, Z=4, DIN 6528, 45°
CARBIDE MILLING CUTTER, TiAIN, Z=4, DIN 6528, 45°

DIN
6527K

MD
CARBIDE

WHEEL
CUTTING

90°

30°
HELIX

TiAIN

P1

M3

K5

S2

S4




BESTELL.-NR. ARTICOLO ORDER NR.	Ø D e8	Ø d h6	L2	L1	Pcs.
KYMCM4S005D3	3	3	10	50	1
KYMCM4S005D4	4	4	11	50	1
KYMCM4S005D5	5	5	13	50	1
KYMCM4S005D6	6	6	13	57	1
KYMCM4S005D7	7	7	16	60	1

BESTELL.-NR. ARTICOLO ORDER NR.	Ø D e8	Ø d h6	L2	L1	Pcs.
KYMCM4S005D8	8	8	19	63	1
KYMCM4S005D9	9	9	19	67	1
KYMCM4S005D10	10	10	22	72	1
KYMCM4S005D12	12	12	25	83	1
KYMCM4S005D14	14	14	26	83	1

BESTELL.-NR. ARTICOLO ORDER NR.	Ø D e8	Ø d h9	L2	L1	Pcs.
KYMCM4S005D16	16	16	32	92	1
KYMCM4S005D18	18	18	32	92	1
KYMCM4S005D20	20	20	38	104	1



HARTMETALLFRÄSER, TiAIN, Z=6, DIN 6528
FRESE IN METALLO DURO, TiAIN, Z=6, DIN 6528
CARBIDE MILLING CUTTER, TiAIN, Z=6, DIN 6528



BESTELL.-NR. ARTICOLO ORDER NR.	Ø D e8	Ø d h6	L2	L1	Pcs.
KYMCM6S001D6	6	6	13	57	1
KYMCM6S001D8	8	8	19	63	1
KYMCM6S001D10	10	10	22	72	1

BESTELL.-NR. ARTICOLO ORDER NR.	Ø D e8	Ø d h6	L2	L1	Pcs.
KYMCM6S001D12	12	12	25	83	1
KYMCM6S001D16	16	16	32	92	1
KYMCM6S001D18	18	18	32	92	1

BESTELL.-NR. ARTICOLO ORDER NR.	Ø D e8	Ø d h9	L2	L1	Pcs.
KYMCM6S001D20	20	20	38	104	1



HARTMETALLKUGELFRÄSER, TiAIN, Z=2, DIN 6527L
FRESE SFERICHE IN METALLO DURO, TiAIN, Z=2, DIN 6527L
CARBIDE BALL NOSE MILLING CUTTER, TiAIN, Z=2, DIN 6527L



BESTELL.-NR. ARTICOLO ORDER NR.	Ø D e8	Ø d h6	L2	L1	Pcs.
KYMCM2B002D3	3	6	7	57	1
KYMCM2B002D4	4	6	8	57	1
KYMCM2B002D5	5	6	10	57	1
KYMCM2B002D6	6	6	10	57	1
KYMCM2B002D7	7	8	13	63	1

BESTELL.-NR. ARTICOLO ORDER NR.	Ø D e8	Ø d h6	L2	L1	Pcs.
KYMCM2B002D8	8	8	16	63	1
KYMCM2B002D9	9	10	16	72	1
KYMCM2B002D10	10	10	19	72	1
KYMCM2B002D12	12	12	22	83	1
KYMCM2B002D14	14	14	22	83	1

BESTELL.-NR. ARTICOLO ORDER NR.	Ø D e8	Ø d h9	L2	L1	Pcs.
KYMCM2B002D15	15	16	22	83	1
KYMCM2B002D16	16	16	26	92	1
KYMCM2B002D18	18	18	26	92	1
KYMCM2B002D20	20	20	32	104	1



HARTMETALLKUGELFRÄSER, TiAlN, Z=2, DIN 6528
FRESE SFERICHE IN METALLO DURO, TiAlN, Z=2, DIN 6528
CARBIDE BALL NOSE MILLING CUTTER, TiAlN, Z=2, DIN 6528

DIN
6527K

MD
CARBIDE

WHEEL
CUTTING

180°

30°
HELIX

TiAlN

P1

M3

K5

S2

S4



BESTELL.-NR. ARTICOLO ORDER NR.	Ø D e8	Ø d h6	L2	L1	Pcs.
KYMCM2B003D3	3	3	7	50	1
KYMCM2B003D3.5	3,5	3,5	7	50	1
KYMCM2B003D4	4	4	8	50	1
KYMCM2B003D4.5	4,5	4,5	8	50	1
KYMCM2B003D5	5	5	10	50	1
KYMCM2B003D5.5	5,5	5,5	10	57	1
KYMCM2B003D6	6	6	10	57	1
KYMCM2B003D6.5	6,5	6,5	13	60	1
KYMCM2B003D7	7	7	13	60	1

BESTELL.-NR. ARTICOLO ORDER NR.	Ø D e8	Ø d h6	L2	L1	Pcs.
KYMCM2B003D7.5	7,5	7,5	16	63	1
KYMCM2B003D8	8	8	16	63	1
KYMCM2B003D8.5	8,5	8,5	16	67	1
KYMCM2B003D9	9	9	16	67	1
KYMCM2B003D9.5	9,5	9,5	19	72	1
KYMCM2B003D10	10	10	19	72	1
KYMCM2B003D10.5	10,5	10,5	22	83	1
KYMCM2B003D11	11	11	22	83	1
KYMCM2B003D12	12	12	22	83	1

BESTELL.-NR. ARTICOLO ORDER NR.	Ø D e8	Ø d h9	L2	L1	Pcs.
KYMCM2B003D13	13	13	22	83	1
KYMCM2B003D14	14	14	22	83	1
KYMCM2B003D15	15	15	22	92	1
KYMCM2B003D16	16	16	26	92	1
KYMCM2B003D17	17	17	26	92	1
KYMCM2B003D18	18	18	26	92	1
KYMCM2B003D19	19	19	26	92	1
KYMCM2B003D20	20	20	32	104	1



HARTMETALLKUGELFRÄSER, TiAlN, Z=3, DIN 6528
FRESE SFERICHE IN METALLO DURO, TiAlN, Z=3, DIN 6528
CARBIDE BALL NOSE MILLING CUTTER, TiAlN, Z=3, DIN 6528

DIN
6527K

MD
CARBIDE

WHEEL
CUTTING

180°

30°
HELIX

TiAlN

P1

M3

K5

S2

S4



BESTELL.-NR. ARTICOLO ORDER NR.	Ø D e8	Ø d h6	L2	L1	Pcs.
KYMCM3B003D3	3	3	7	50	1
KYMCM3B003D3.5	3,5	3,5	7	50	1
KYMCM3B003D4	4	4	8	50	1
KYMCM3B003D4.5	4,5	4,5	8	50	1
KYMCM3B003D5	5	5	10	50	1
KYMCM3B003D5.5	5,5	5,5	10	57	1
KYMCM3B003D6	6	6	10	57	1
KYMCM3B003D6.5	6,5	6,5	13	60	1
KYMCM3B003D7	7	7	13	60	1

BESTELL.-NR. ARTICOLO ORDER NR.	Ø D e8	Ø d h6	L2	L1	Pcs.
KYMCM3B003D7.5	7,5	7,5	16	63	1
KYMCM3B003D8	8	8	16	63	1
KYMCM3B003D8.5	8,5	8,5	16	67	1
KYMCM3B003D9	9	9	16	67	1
KYMCM3B003D9.5	9,5	9,5	19	72	1
KYMCM3B003D10	10	10	19	72	1
KYMCM3B003D10.5	10,5	10,5	22	83	1
KYMCM3B003D11	11	11	22	83	1
KYMCM3B003D12	12	12	22	83	1

BESTELL.-NR. ARTICOLO ORDER NR.	Ø D e8	Ø d h9	L2	L1	Pcs.
KYMCM3B003D13	13	13	22	83	1
KYMCM3B003D14	14	14	22	83	1
KYMCM3B003D15	15	15	22	92	1
KYMCM3B003D16	16	16	26	92	1
KYMCM3B003D17	17	17	26	92	1
KYMCM3B003D18	18	18	26	92	1
KYMCM3B003D19	19	19	26	92	1
KYMCM3B003D20	20	20	32	104	1



HARTMETALLKUGELFRÄSER, TiAlN, Z=4, DIN 6528
FRESA SFERICA IN METALLO DURO, TiAlN, Z=4, DIN 6528
CARBIDE BALL NOSE MILLING CUTTER, TiAlN, Z=4, DIN 6528

DIN
6527K

MD
CARBIDE

WHEEL
CUTTING

180°

30°
HELIX

TiAlN


P1

M3

K5

S2

S4



BESTELL.-NR. ARTICOLO ORDER NR.	Ø D e8	Ø d h6	L2	L1	Pcs.
KYMCM4B003D3	3	3	10	50	1
KYMCM4B003D3.5	3,5	3,5	10	50	1
KYMCM4B003D4	4	4	11	50	1
KYMCM4B003D4.5	4,5	4,5	11	50	1
KYMCM4B003D5	5	5	13	50	1
KYMCM4B003D5.5	5,5	5,5	13	57	1
KYMCM4B003D6	6	6	13	57	1
KYMCM4B003D6.5	6,5	6,5	16	60	1
KYMCM4B003D7	7	7	16	60	1

BESTELL.-NR. ARTICOLO ORDER NR.	Ø D e8	Ø d h6	L2	L1	Pcs.
KYMCM4B003D7.5	7,5	7,5	19	63	1
KYMCM4B003D8	8	8	19	63	1
KYMCM4B003D8.5	8,5	8,5	19	67	1
KYMCM4B003D9	9	9	19	67	1
KYMCM4B003D9.5	9,5	9,5	22	72	1
KYMCM4B003D10	10	10	22	72	1
KYMCM4B003D10.5	10,5	10,5	22	72	1
KYMCM4B003D11	11	11	25	83	1
KYMCM4B003D12	12	12	25	83	1

BESTELL.-NR. ARTICOLO ORDER NR.	Ø D e8	Ø d h9	L2	L1	Pcs.
KYMCM4B003D13	13	13	25	83	1
KYMCM4B003D14	14	14	26	83	1
KYMCM4B003D15	15	15	32	92	1
KYMCM4B003D16	16	16	32	92	1
KYMCM4B003D17	17	17	32	92	1
KYMCM4B003D18	18	18	32	92	1
KYMCM4B003D19	19	19	32	92	1
KYMCM4B003D20	20	20	38	104	1



HARTMETALLTORUSFRÄSER, TiAlN, Z=2, DIN 6527K
FRESE TOROIDALE IN METALLO DURO, TiAlN, Z=2, DIN 6527K
CARBIDE TORUS MILLING CUTTER, TiAlN, Z=2, DIN 6527K

DIN
6527K

MD
CARBIDE

WHEEL
CUTTING

90°

30°
HELIX

TiAlN

P1

M3

K5

S2

S4



BESTELL.-NR. ARTICOLO ORDER NR.	Ø D e8	Ø d h6	L2	L1	Pcs.
KYMCM4R001D3R0.5	3R0.5	3	7	50	1
KYMCM4R001D4R0.5	4R0.5	4	8	50	1
KYMCM4R001D5R0.5	5R0.5	5	10	50	1
KYMCM4R001D6R1.0	6R1.0	6	10	57	1

BESTELL.-NR. ARTICOLO ORDER NR.	Ø D e8	Ø d h6	L2	L1	Pcs.
KYMCM4R001D8R1.0	8R1.0	8	16	63	1
KYMCM4R001D10R1.0	10R1.0	10	19	72	1
KYMCM4R001D12R1.0	12R1.0	12	22	83	1
KYMCM4R001D12R0.5	12R1.5	12	22	83	1

BESTELL.-NR. ARTICOLO ORDER NR.	Ø D e8	Ø d h6	L2	L1	Pcs.
KYMCM4R001D16R1.5	16R1.5	16	26	92	1
KYMCM4R001D18R1.5	18R1.5	18	26	92	1
KYMCM4R001D20R2.0	20R2.0	20	32	104	1



FASENFRÄSER HSS
FRESE PER SVASARE HSS
CHAMFERING CUTTER HSS

DIN
335C

HSS

WHEEL
CUTTING

90°

BLACK

P1

M3

N7



BESTELL.-NR. ARTICOLO ORDER NR.	Ø D Z9	Ø d h9	Ø d ₁	L1	Pcs.
KY21D0500	5	4	1,3	40	1
KY21D0530	5,3	4	1,5	40	1
KY21D0600	6	5	1,5	45	1
KY21D0630	6,3	5	1,5	45	1
KY21D0800	8	6	2	50	1
KY21D0830	8,3	6	2	50	1
KY21D1000	10	6	2,5	50	1
KY21D1040	10,4	6	2,5	50	1
KY21D1150	11,5	8	2,8	56	1

BESTELL.-NR. ARTICOLO ORDER NR.	Ø D Z9	Ø d h9	L2	L1	Pcs.
KY21D1200	12	8	2,8	56	1
KY21D1240	12,4	8	2,8	56	1
KY21D1340	13,4	8	2,9	56	1
KY21D1500	15	10	3,2	60	1
KY21D1650	16,5	10	3,2	60	1
KY21D2050	20,5	10	3,5	63	1
KY21D2500	25	10	3,8	67	1
KY21D3000	30	12	4,2	71	1
KY21D3100	31	12	4,2	71	1

KIT 6 PCS. 6,3 / 8,3 / 10,4 / 12,4 / 16,5 / 20,5



102P



102M



FASENFRÄSER HSSE-Co5
FRESE PER SVASARE HSSE-Co5
CHAMFERING CUTTER HSSE-Co5

DIN
335C

HSSE
5% Co

WHEEL
CUTTING

90°

AMB
RED

P1

M3

N7



BESTELL.-NR. ARTICOLO ORDER NR.	Ø D Z9	Ø d h9	Ø d ₁	L1	Pcs.
KY22D0630	6,3	5	1,5	45	1
KY22D0830	8,3	6	2	50	1
KY22D1040	10,4	6	2,5	50	1
KY22D1240	12,4	8	2,8	56	1
KY22D1650	16,5	10	3,2	60	1
KY22D2050	20,5	10	3,5	63	1
KY22D2500	25	10	3,8	67	1
KY22D3000	30	12	4,2	71	1
KY22D3100	31	12	4,2	71	1

KIT 6 PCS. 6,3 / 8,3 / 10,4 / 12,4 / 16,5 / 20,5



105P



105M



BESTELL.-NR. ARTICOLO ORDER NR.	Ø D	ZOLL POLLICE INCH	Pcs.	BESTELL.-NR. ARTICOLO ORDER NR.	Ø D	ZOLL POLLICE INCH	Pcs.	BESTELL.-NR. ARTICOLO ORDER NR.	Ø D	ZOLL POLLICE INCH	Pcs.
KY71D1400	14	9/16"	1	KY71D4400	44	1-3/4"	1	KY71D8900	89	3-1/2"	1
KY71D1600	16	5/8"	1	KY71D4500	45	1-25/32	1	KY71D9200	92	3-5/8"	1
KY71D1700	17	11/16"	1	KY71D4600	46	1-13/16"	1	KY71D9500	95	3-3/4"	1
KY71D1900	19	3/4"	1	KY71D4800	48	1-7/8"	1	KY71D9800	98	3-7/8"	1
KY71D2000	20	25/32"	1	KY71D5100	51	2"	1	KY71D0102	102	4"	1
KY71D2100	21	13/16"	1	KY71D5200	52	2-1/16"	1	KY71D0102	105	4-1/8"	1
KY71D2200	22	7/8"	1	KY71D5400	54	2-1/8"	1	KY71D0108	108	4-1/4"	1
KY71D2400	24	15/16"	1	KY71D5700	57	2-1/4"	1	KY71D0111	111	4-3/8"	1
KY71D2500	25	1"	1	KY71D5900	59	2-5/16"	1	KY71D0114	114	4-1/2"	1
KY71D2700	27	1-1/16"	1	KY71D6000	60	2-3/8"	1	KY71D0121	121	4-3/4"	1
KY71D2900	29	1-1/8"	1	KY71D6400	64	2-1/2"	1	KY71D0127	127	5"	1
KY71D3000	30	1-3/16"	1	KY71D6500	65	2-9/16"	1	KY71D0133	133	5-1/4"	1
KY71D3200	32	1-1/4"	1	KY71D6700	67	2-5/8"	1	KY71D0140	140	5-1/2"	1
KY71D3300	33	1-5/16"	1	KY71D6800	68	2-11/16"	1	KY71D0146	146	5-3/4"	1
KY71D3300	25	1-3/8"	1	KY71D7000	70	2-3/4"	1	KY71D0152	152	6"	1
KY71D3700	37	1-7/16"	1	KY71D7300	73	2-7/8"	1	KY71D0160	160	6-5/16"	1
KY71D3800	38	1-1/2"	1	KY71D7600	76	3"	1	KY71D0168	168	6-5/8"	1
KY71D4000	40	1-9/16"	1	KY71D7900	79	3-1/8"	1	KY71D0177	177	7"	1
KY71D4100	41	1-5/8"	1	KY71D8300	83	3-1/4"	1	KY71D0200	200	7-7/8"	1
KY71D4300	43	1-11/16"	1	KY71D8600	86	3-3/8"	1	KY71D0200	210	8-9/32"	1



BESTELL.-NR. ARTICOLO ORDER NR.	DESIGNATION - DESIGNAZIONE - DESIGNATION	ZUSAMMENSETZUNG COMPOSIZIONE COMPOSITION	PCS.
KY171P	Glockensäge-Set HSS E Bi-Metall + Befestigungssatz für Klempner Set seghe a tazza HSS E bimetallo + Kit di montaggio per installatore Bell saw set HSS E bi-metal + Mounting kit for Plumber	19/22/29/38/44/57	7
KY172P	Glockensäge-Set HSS E Bi-Metall + Befestigungsset für Electricien Set seghe a tazza HSS E bimetallo + Kit di montaggio per elettrici Bell saw set HSS E bi-metal + Mounting kit for Electricien	22/29/35/44/51/64	7
KY173P	Glockensäge-Set HSS E bi-metall+ Montagesatz Spezial-Klempner Set seghe a tazza HSS E bimetallo+ Kit di montaggio speciale Bell saw set HSS E bi-metal+ Mounting kit Special Plumber	19/25/32/38/44/57/68	8
KY174P	Glockensäge-Set HSS E Bi-Metall + Befestigungsset Special Electrical Set seghe a tazza HSS E bimetallo HSS E bimetallo + kit di montaggio Speciale Elettrico Bell saw set HSS E bi-metal + mounting kit Special Electrical	22/35/51/57/68/76	7



BESTELL.-NR. ARTICOLO ORDER NR.	DESIGNATION - DESIGNAZIONE - DESIGNATION	PCS.
KY72F001	Pilotbohrer L75mm Punta pilota L75mm Pilot drill L75mm	
KY72F002	Pilotbohrer L102mm Punta pilota L102mm Pilot drill L102mm	1
KY72P001	Montagewelle Sechskantschaft 9,5mm mit Pilotbohrer für Lochsägen 14mm ~30mm Attacco esagonale albero di montaggio 9,5mm con punta pilota per seghe a tazza 14mm ~30mm Mounting shaft hexagonal shank 9,5mm with pilot drill for hole saws 14mm ~30mm	1
KY72P002	Montagewelle Sechskantschaft 9,5mm mit Pilotbohrer für Lochsägen 32mm ~210mm Attacco esagonale albero di montaggio 9,5mm con punta pilota per seghe a tazza 32mm ~210mm Mounting shaft hexagonal shank 9,5mm with pilot drill for hole saws 32mm ~210mm	1



MASCHINENGEWINDEBOHRER HSS, SCHÄLANSCHNITT, DIN 371
MASCHI A MACCHINA HSS, IMBOCCO CORRETTO, DIN 371
MACHINE TAPS HSS, GUN NOSE, DIN 371

DIN
371


HSS



P1

N6

N7



BESTELL.-NR. ARTICOLO ORDER NR.	M	PASO	L	L1	Ø D	a	PCS.
KY81AM3	M3	0,5	56	11	3,5	2,7	1
KY81AM4	M4	0,7	63	13	4,5	3,4	1
KY81AM5	M5	0,8	70	16	6	4,9	1
KY81AM6	M6	1	80	19	6	4,9	1
KY81AM8	M8	1,25	90	22	8	6,2	1
KY81AM10	M10	1,5	100	24	10	8	1



MASCHINENGEWINDEBOHRER HSS, RECHTSDRALL, DIN 371
MASCHI A MACCHINA HSS, SCANALATURE ELICOIDALE, DIN 371
MACHINE TAPS HSS, SPIRAL FLUTES, DIN 371

DIN
371


HSS



P1

N6

N7



BESTELL.-NR. ARTICOLO ORDER NR.	M	PASO	L	L1	Ø D	a	PCS.
KY81SM3	M3	0,5	56	5	3,5	2,7	1
KY81SM4	M4	0,7	63	7	4,5	3,4	1
KY81SM5	M5	0,8	70	8	6	4,9	1
KY81SM6	M6	1	80	10	6	4,9	1
KY81SM8	M8	1,25	90	12	9	6.20	1
KY81SM10	M10	1,5	100	14	10	8	1



MASCHINENGWINDEBOHRER HSS, SCHÄLANSCHNITT, DIN 376
MASCHI A MACCHINA HSS, IMBOCCO CORRETTO, DIN 376
MACHINE TAPS HSS, GUN NOSE, DIN 376

DIN
376


HSS



P1

N6

N7



BESTELL.-NR. ARTICOLO ORDER NR.	M	PASO	L	L1	Ø D	a	PCS.
KY82AM12	M12	1,75	110	29	9	7	1
KY82AM14	M14	2	110	30	11	9	1
KY82AM16	M16	2	110	32	12	9	1
KY82AM18	M18	2,5	125	34	14	11	1
KY82AM20	M20	2,5	140	34	18	14,5	1
KY82AM22	M22	2,5	140	34	18	14,5	1
KY82AM24	M24	3	160	38	18	14,5	1
KY82AM27	M27	3	160	38	20	16	1
KY82AM30	M30	3,5	180	45	22	18	1



MASCHINENGWINDEBOHRER HSS, RECHTSDRALL, DIN 376
MASCHI A MACCHINA HSS, SCANALATURE ELICOIDALE, DIN 376
MACHINE TAPS HSS, SPIRAL FLUTES, DIN 376

DIN
376


HSS



P1

N6

N7



BESTELL.-NR. ARTICOLO ORDER NR.	M	PASO	L	L1	Ø D	a	PCS.
KY82SM12	M12	1,75	110	18	9	7	1
KY82SM14	M14	2	110	20	11	9	1
KY82SM16	M16	2	110	20	12	9	1
KY82SM18	M18	2,5	125	25	14	11	1
KY82SM20	M20	2,5	140	25	16	12	1
KY82SM22	M22	2,5	140	25	18	14,5	1
KY82SM24	M24	3	160	30	18	14,5	1
KY82SM27	M27	3	160	30	20	16	1
KY82SM30	M30	3,5	180	35	22	18	1



HAND-GEWINDEBOHRER, HSS, DIN 352
MASCHI A MANO, HSS, DIN 352
HAND TAPS, HSS, DIN 352

DIN
352


HSS



P1

N6

N7



BESTELL.-NR. ARTICOLO ORDER NR.	M	PASO	L	L1	Ø D	a	PCS.
KY83AM3	M3	0,5	40	11	3,5	2,7	1
KY83AM4	M4	0,7	45	13	4,5	3,4	1
KY83AM5	M5	0,8	50	16	6	4,9	1
KY83AM6	M6	1	50	19	6	4,9	1
KY83AM8	M8	1,25	56	22	6	4,9	1
KY83AM10	M10	1,5	70	24	7	5,5	1

BESTELL.-NR. ARTICOLO ORDER NR.	M	PASO	L	L1	Ø D	a	PCS.
KY83AM12	M12	1,75	75	29	9	7	1
KY83AM16	M16	2	80	32	12	9	1
KY83AM18	M18	2,5	95	40	14	11	1
KY83AM20	M20	2,5	95	40	16	12	1
KY83AM22	M22	2,5	100	40	18	14,5	1
KY83AM24	M24	3	110	50	18	14,5	1



WINDEISEN
GIRAMASCHI
TAP WRENCH



BESTELL.-NR. ARTICOLO ORDER NR.	M	Nº	PCS.
KY841	M2 - M10	Nº1	1
KY842	M4 - M12	Nº2	1
KY843	M8 - M27	Nº3	1

Materialien - Materiali - Materials					
	Aluminiumzuschnitt Taglio alluminio Aluminium cut	Kreuzverzahnung Denti incrociati Cross-toothed	Einfacher Schnitt Taglio semplice Simple cut	Spänebrecher schneiden Rompitrucolo da taglio Cutting chip breakers	Diamantschliff Taglio diamante Diamond cut
	Type 40	Type 41	Type 42	Type 43	Type 44
Aluminium - Alluminio - Aluminium	★				
Messing, Bronze, Kupfer - Ottone, Bronzo, Rame - Brass, Bronze, Copper		★		★	
Kohlefaser - Fibra di carbonio - Carbon fiber			★		
Fiberglas - Fibra di vetro - Fiberglass					★
Gusseisen - Ghisa - Cast		★	★	★	
Kunststoff - Plastica - Plastic	★	★			★
Stahl 40-50 HRC - Acciaio 40-50 HRC - Steel 40-50 HRC		★	★	★	★
Stahl 55-60 HRC - Acciaio 55-60 HRC - Steel 55-60 HRC		★	★	★	★
Kohlenstoffstahl - Acciaio al carbonio - Carbon steel		★	★	★	
Chromnickelstahl - Acciaio al nichel-cromo - Chrome nickel steel		★	★	★	★
Rostfreier Stahl - Acciaio inossidabile - Stainless steel		★	★	★	
Titanium - Titano - Titanium		★	★	★	
Zink - Zinco - Zinc	★	★	★		

TYPE A	Ø D	Ø d	L2	L1	PCS.	Type 40	Type 41	Type 42	Type 43	Type 44
	Zylindrisch 1 Schnitt Cilindrica 1 taglio Cylindrical 1 cut					BESTELL.-NR. ARTICOLO ORDER NR.	BESTELL.-NR. ARTICOLO ORDER NR.	BESTELL.-NR. ARTICOLO ORDER NR.	BESTELL.-NR. ARTICOLO ORDER NR.	BESTELL.-NR. ARTICOLO ORDER NR.
	3	3	13	38	1	KY41A0313	KY40A0314	KY42A0313	KY43A0313	KY44A0313
	4	3	13	38	1	KY41A0413	KY40A0413	KY42A0413	KY43A0413	KY44A0413
	5	3	16	51	1	KY41A0516	KY40A0516	KY42A0516	KY43A0516	KY44A0516
	6	6	16	51	1	KY41A0616	KY40A0616	KY42A0616	KY43A0616	KY44A0616
	8	6	20	65	1	KY41A0820	KY40A0820	KY42A0820	KY43A0820	KY44A0820
	10	6	20	65	1	KY41A1020	KY40A1020	KY42A1020	KY43A1020	KY44A1020
	12	6	25	70	1	KY41A1225	KY40A1225	KY42A1225	KY43A1225	KY44A1225
	16	6	25	70	1	KY41A1625	KY40A1625	KY42A1625	KY43A1625	KY44A1625
	19	6	25	70	1	KY41A1925	KY40A1925	KY42A1925	KY43A1925	KY44A1925

TYPE B	Ø D	Ø d	L2	L1	PCS.	Type 40	Type 41	Type 42	Type 43	Type 44
	Zylindrisch 1 Schnitt Cilindrica 1 taglio Cylindrical 1 cut					BESTELL.-NR. ARTICOLO ORDER NR.	BESTELL.-NR. ARTICOLO ORDER NR.	BESTELL.-NR. ARTICOLO ORDER NR.	BESTELL.-NR. ARTICOLO ORDER NR.	BESTELL.-NR. ARTICOLO ORDER NR.
	3	3	13	38	1	KY41B0313	KY40B0313	KY42B0313	KY43B0313	KY44B0313
	4	3	13	51	1	KY41B0413	KY40B0413	KY42B0413	KY43B0413	KY44B0413
	5	3	16	51	1	KY41B0516	KY40B0516	KY42B0516	KY43B0516	KY44B0516
	6	6	16	61	1	KY41B0616	KY40B0616	KY42B0616	KY43B0616	KY44B0616
	8	6	20	65	1	KY41B0820	KY40B0820	KY42B0820	KY43B0820	KY44B0820
	10	6	20	65	1	KY41B1020	KY40B1020	KY42B1020	KY43B1020	KY44B1020
	12	6	25	70	1	KY41B1225	KY40B1225	KY42B1225	KY43B1225	KY44B1225
	16	6	25	70	1	KY41B1625	KY40B1625	KY42B1625	KY43B1625	KY44B1625
	19	6	25	70	1	KY41B1925	KY40B1925	KY42B1925	KY43B1925	KY44B1925

TYPE C	Ø D	Ø d	L2	L1	PCS.	Type 40	Type 41	Type 42	Type 43	Type 44
	Zylindrisch 1 Schnitt Cilindrica 1 taglio Cylindrical 1 cut					BESTELL.-NR. ARTICOLO ORDER NR.	BESTELL.-NR. ARTICOLO ORDER NR.	BESTELL.-NR. ARTICOLO ORDER NR.	BESTELL.-NR. ARTICOLO ORDER NR.	BESTELL.-NR. ARTICOLO ORDER NR.
	3	3	13	38	1	KY41C0313	KY40C0313	KY42C0313	KY43C0313	KY44C0313
	4	3	13	51	1	KY41C0413	KY40C0413	KY42C0413	KY43C0413	KY44C0413
	5	3	13	51	1	KY41C0513	KY40C0513	KY42C0513	KY43C0513	KY44C0513
	6	6	16	61	1	KY41C0616	KY40C0616	KY42C0616	KY43C0616	KY44C0616
	8	6	20	35	1	KY41C0820	KY40C0820	KY42C0820	KY43C0820	KY44C0820
	10	6	20	35	1	KY41C1020	KY40C1020	KY42C1020	KY43C1020	KY44C1020
	12	6	25	70	1	KY41C1225	KY40C1225	KY42C1225	KY43C1225	KY44C1225
	16	6	25	70	1	KY41C1625	KY40C1625	KY42C1625	KY43C1625	KY44C1625
	19	6	25	70	1	KY41C1925	KY40C1925	KY42C1925	KY43C1925	KY44C1925

TYPE D	Ø D	Ø d	L2	L1	PCS.	Type 40	Type 41	Type 42	Type 43	Type 44
	Zylindrisch 1 Schnitt Cilindrica 1 taglio Cylindrical 1 cut					BESTELL.-NR. ARTICOLO ORDER NR.	BESTELL.-NR. ARTICOLO ORDER NR.	BESTELL.-NR. ARTICOLO ORDER NR.	BESTELL.-NR. ARTICOLO ORDER NR.	BESTELL.-NR. ARTICOLO ORDER NR.
	3	3	2,3	38	1	KY41D0302		KY42D0302	KY43D0302	KY44D0302
	4	3	3	41	1	KY41D0403		KY42D0403	KY43D0403	KY44D0403
	5	3	4	43	1	KY41D0504		KY42D0504	KY43D0504	KY44D0504
	6	6	5,4	51	1	KY41D0605	KY40D0605	KY42D0605	KY43D0605	KY44D0605
	8	6	7,2	52	1	KY41D0807	KY40D0807	KY42D0807	KY43D0807	KY44D0807
	10	6	9	54	1	KY41D1009	KY40D1009	KY42D1009	KY43D1009	KY44D1009
	12	6	11	56	1	KY41D1211	KY40D1211	KY42D1211	KY43D1211	KY44D1211
	16	6	14	60	1	KY41D1614	KY40D1614	KY42D1614	KY43D1614	KY44D1614
	19	6	19	62	1	KY41D1919	KY40D1919	KY42D1919	KY43D1919	KY44D1919

TYPE E	Ø D	Ø d	L2	L1	PCS.	Type 40	Type 41	Type 42	Type 43	Type 44
	Zylindrisch 1 Schnitt Cilindrica 1 taglio Cylindrical 1 cut					BESTELL.-NR. ARTICOLO ORDER NR.	BESTELL.-NR. ARTICOLO ORDER NR.	BESTELL.-NR. ARTICOLO ORDER NR.	BESTELL.-NR. ARTICOLO ORDER NR.	BESTELL.-NR. ARTICOLO ORDER NR.
	3	3	7	38	1	KY41E0307		KY42E0307	KY43E0307	KY44E0307
	5	3	8	46	1	KY41E0508		KY42E0508	KY43E0508	KY44E0508
	6	6	10	55	1	KY41E0610		KY42E0610	KY43E0610	KY44E0610
	8	6	13	58	1	KY41E0813	KY40E0813	KY42E0813	KY43E0813	KY44E0813
	10	6	16	61	1	KY41E1016	KY40E1016	KY42E1016	KY43E1016	KY44E1016
	12	6	20	65	1	KY41E1220	KY40E1220	KY42E1220	KY43E1220	KY44E1220
	16	6	25	70	1	KY41E1625	KY40E1625	KY42E1625	KY43E1625	KY44E1625

TYPE F	Ø D	Ø d	L2	L1	PCS.	Type 40	Type 41	Type 42	Type 43	Type 44
	Zylindrisch 1 Schnitt Cilindrica 1 taglio Cylindrical 1 cut					BESTELL.-NR. ARTICOLO ORDER NR.	BESTELL.-NR. ARTICOLO ORDER NR.	BESTELL.-NR. ARTICOLO ORDER NR.	BESTELL.-NR. ARTICOLO ORDER NR.	BESTELL.-NR. ARTICOLO ORDER NR.
	3	3	13	38	1	KY41F0313		KY42F0313	KY43F0313	KY44F0313
	5	3	13	51	1	KY41F0513		KY42F0513	KY43F0513	KY44F0513
	6	6	18	63	1	KY41F0618	KY40F0618	KY42F0618	KY43F0618	KY44F0618
	8	6	20	65	1	KY41F0820	KY40F0820	KY42F0820	KY43F0820	KY44F0820
	10	6	20	65	1	KY41F1020	KY40F1020	KY42F1020	KY43F1020	KY44F1020
	12	6	25	70	1	KY41F1225	KY40F1225	KY42F1225	KY43F1225	KY44F1225
	16	6	25	70	1	KY41F1625	KY40F1625	KY42F1625	KY43F1625	KY44F1625

TYPE G	Ø D	Ø d	L2	L1	PCS.	Type 40	Type 41	Type 42	Type 43	Type 44
	Zylindrisch 1 Schnitt Cilindrica 1 taglio Cylindrical 1 cut					BESTELL.-NR. ARTICOLO ORDER NR.	BESTELL.-NR. ARTICOLO ORDER NR.	BESTELL.-NR. ARTICOLO ORDER NR.	BESTELL.-NR. ARTICOLO ORDER NR.	BESTELL.-NR. ARTICOLO ORDER NR.
	3	3	13	38	1	KY41G0313			KY44G0313	
	5	3	13	51	1	KY41G0513		KY43G0513	KY44G0513	
	6	6	18	63	1	KY41G0618	KY40G0618	KY43G0618	KY44G0618	
	8	6	20	65	1	KY41G0820	KY40G0820	KY43G0820	KY44G0820	
	10	6	20	65	1	KY41G1020	KY40G1020	KY43G1020	KY44G1020	
	12	6	25	65	1	KY41G1225	KY40G1225	KY43G1225	KY44G1225	
	16	6	25	70	1	KY41G1625	KY40G1625	KY43G1625	KY44G1625	

TYPE H	Ø D	Ø d	L2	L1	PCS.	Type 40	Type 41	Type 42	Type 43	Type 44
	Zylindrisch 1 Schnitt Cilindrica 1 taglio Cylindrical 1 cut					BESTELL.-NR. ARTICOLO ORDER NR.	BESTELL.-NR. ARTICOLO ORDER NR.	BESTELL.-NR. ARTICOLO ORDER NR.	BESTELL.-NR. ARTICOLO ORDER NR.	BESTELL.-NR. ARTICOLO ORDER NR.
	3	3	13	38	1	KY41H0313		KY42H0313	KY43H0313	KY44H0313
	6	6	18	63	1	KY41H0618	KY40H0618	KY42H0618	KY43H0618	KY44H0618
	8	6	20	65	1	KY41H0820	KY40H0820	KY42H0820	KY43H0820	KY44H0820
	10	6	20	65	1	KY41H1020	KY40H1020	KY42H1020	KY43H1020	KY44H1020
	12	6	32	77	1	KY41H1232	KY40H1232	KY42H1232	KY43H1232	KY44H1232
	16	6	36	81	1	KY41H1636	KY40H1626	KY42H1636	KY43H1636	KY44H1636

TYPE J	Ø D	Ø d	L2	L1	PCS.	Type 40	Type 41	Type 42	Type 43	Type 44
	Zylindrisch 1 Schnitt Cilindrica 1 taglio Cylindrical 1 cut					BESTELL.-NR. ARTICOLO ORDER NR.	BESTELL.-NR. ARTICOLO ORDER NR.	BESTELL.-NR. ARTICOLO ORDER NR.	BESTELL.-NR. ARTICOLO ORDER NR.	BESTELL.-NR. ARTICOLO ORDER NR.
	3	3	3	38	1	KY41J0303		KY42J0303		KY44J0303
	6	6	5,2	50	1	KY41J0605		KY42J0605	KY43J0605	KY44J0605
	10	6	8	53	1	KY41J1008		KY42J1008	KY43J1008	KY44J1008
	12	6	10	55	1	KY41J1210		KY42J1210	KY43J1210	KY44J1210
	16	6	14	60	1	KY41J1613		KY42J1613	KY43J1613	KY44J1613

TYPE K	Ø D	Ø d	L2	L1	PCS.	Type 40 	Type 41 	Type 42 	Type 43 	Type 44 
	Zylindrisch 1 Schnitt Cilindrica 1 taglio Cylindrical 1 cut					BESTELL.-NR. ARTICOLO ORDER NR.	BESTELL.-NR. ARTICOLO ORDER NR.	BESTELL.-NR. ARTICOLO ORDER NR.	BESTELL.-NR. ARTICOLO ORDER NR.	BESTELL.-NR. ARTICOLO ORDER NR.
	3	3	2	38	1	KY41K0302		KY42K0302		KY44K0302
	6	6	3	48	1	KY41K0603		KY42K0603	KY43K0603	KY44K0603
	8	6	4	48	1	KY41K0804		KY42K0804	KY43K0804	KY44K0804
	10	6	5	50	1	KY41K1005		KY42K1005	KY43K1005	KY44K1005
	12	6	6	51	1	KY41K1206		KY42K1206	KY43K1206	KY44K1206
	16	6	8	53	1	KY41K1608		KY42K1608	KY43K1608	KY44K1608

TYPE L	Ø D	Ø d	L2	L1	PCS.	Type 40 	Type 41 	Type 42 	Type 43 	Type 44 
	Zylindrisch 1 Schnitt Cilindrica 1 taglio Cylindrical 1 cut					BESTELL.-NR. ARTICOLO ORDER NR.	BESTELL.-NR. ARTICOLO ORDER NR.	BESTELL.-NR. ARTICOLO ORDER NR.	BESTELL.-NR. ARTICOLO ORDER NR.	BESTELL.-NR. ARTICOLO ORDER NR.
	3	3	13	38	1	KY41L0303				KY44L0313
	6	6	16	61	1	KY41L0616	KY40L0616	KY42L0616	KY43L0616	KY44L0616
	8	6	22	67	1	KY41L0822	KY40L0822	KY42L0822	KY43L0822	KY44L0822
	10	6	25	70	1	KY41L1025	KY40L1025	KY42L1025	KY43L1025	KY44L1025
	12	6	28	73	1	KY41L1228	KY40L1228	KY42L1228	KY43L1228	KY44L1228
	16	6	33	78	1	KY41L1633	KY40L1633	KY42L1633	KY43L1633	KY44L1633

TYPE M	Ø D	Ø d	L2	L1	PCS.	Type 40 	Type 41 	Type 42 	Type 43 	Type 44 
	Zylindrisch 1 Schnitt Cilindrica 1 taglio Cylindrical 1 cut					BESTELL.-NR. ARTICOLO ORDER NR.	BESTELL.-NR. ARTICOLO ORDER NR.	BESTELL.-NR. ARTICOLO ORDER NR.	BESTELL.-NR. ARTICOLO ORDER NR.	BESTELL.-NR. ARTICOLO ORDER NR.
	3	3	13	38	1	KY41M0313		KY42M0313		KY44M0313
	6	6	18	63	1	KY41M0618	KY40M0618	KY42M0618	KY43M0618	KY44M0618
	8	6	20	63	1	KY41M0820	KY40M0820	KY42M0820	KY43M0820	KY44M0820
	10	6	20	63	1	KY41M1020	KY40M1020	KY42M1020	KY43M1020	KY44M1020
	12	6	25	70	1	KY41M1225	KY40M1225	KY42M1225	KY43M1225	KY44M1225
	16	6	25	70	1	KY41M1625	KY40M1625	KY42M1625	KY43M1625	KY44M1625

TYPE N	Ø D	Ø d	L2	L1	PCS.	Type 40 	Type 41 	Type 42 	Type 43 	Type 44 
	Zylindrisch 1 Schnitt Cilindrica 1 taglio Cylindrical 1 cut					BESTELL.-NR. ARTICOLO ORDER NR.	BESTELL.-NR. ARTICOLO ORDER NR.	BESTELL.-NR. ARTICOLO ORDER NR.	BESTELL.-NR. ARTICOLO ORDER NR.	BESTELL.-NR. ARTICOLO ORDER NR.
	3	3	7	38	1	KY41N0307		KY42N0307		KY44N0307
	6	6	7	52	1	KY41N0607		KY42N0607	KY43N0607	KY44N0607
	10	6	10	55	1	KY41N1010		KY42N1010	KY43N1010	KY44N1010
	12	6	13	58	1	KY41N1213		KY42N1213	KY43N1213	KY44N1213
	16	6	15	61	1	KY41N1615		KY42N1615	KY43N1615	KY44N1615